

DYLON WASH & DYE 01 VELVET BLACK

Page: 1

Compilation date: 20/01/2012 Revision date: 04/04/2013

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: DYLON WASH & DYE 01 VELVET BLACK

Product code: WAD 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Domestic Fabric Dye. 350g sachet.

1.3. Details of the supplier of the safety data sheet

Company name: SPOTLESS PUNCH LIMITED

	Betchworth House
	57-65 Station Road
	Redhill
	Surrey
	RH1 1DL
	UK
Tel:	+44 (0)1737 781 300
Fax:	+44 (0)1737 769 607
Email:	consumer@spotlesspunch.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0)1737 781 300

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: Sens.: R42/43; Xi: R36; Xi: R38

Most important adverse effects: May cause sensitisation by inhalation and skin contact. Irritating to eyes. Irritating to skin.

2.2. Label elements

Label elements under CHIP:

Hazard symbols: Harmful.



Risk phrases: R42/43: May cause sensitisation by inhalation and skin contact.

R36: Irritating to eyes.

R38: Irritating to skin.

DYLON WASH & DYE 01 VELVET BLACK

Safety phrases: S2: Keep out of the reach of children.

S22: Do not breathe dust.

S24: Avoid contact with skin.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S37: Wear suitable gloves.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest.

2.3. Other hazards

PBT: This product is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM CARBONATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
207-838-8	497-19-8	Xi: R36	Eye Irrit. 2: H319	50-75%
SILICIC ACID, S	SODIUM SALT			
215-687-4	1344-09-8	Xi: R41; Xi: R37/38	-	5-10%

C.I. REACTIVE BLACK 5

C.I. REACTIVE	BLACK 5			
241-164-5	17095-24-8	Sens.: R42/43; -: R52/53	Resp. Sens. 1: H334; Skin Sens. 1: H317	5-10%
DISODIUM ME	TASILICATE			
229-912-9	6834-92-0	C: R34; Xi: R37	Skin Corr. 1B: H314; STOT SE 3: H335	1-5%

Section 4: First aid measures

Wash
e of water
sult a
ē

Page: 2

DYLON WASH & DYE 01 VELVET BLACK

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: May form flammable / explosive dust-air mixture. In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Avoid the formation or spread of dust in the air.

DYLON WASH & DYE 01 VELVET BLACK

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Hand protection: Protective gloves. Gloves (alkali-resistant). PVC gloves. Nitrile gloves. Rubber gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:PowderColour:Dark greyOdour:Characteristic odourSolubility in water:Highly solublepH:11.4 (10 g/L)

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Humidity. Moist air.

DYLON WASH & DYE 01 VELVET BLACK

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

C.I. REACTIVE BLACK 5

ORL RAT LD50 > 2000 mg/k	g
--------------------------	---

DISODIUM METASILICATE

ORL	MUS	LD50	770	mg/kg
ORL	RAT	LD50	1153	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT DRM	Hazardous: calculated
Sensitisation	INH DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may
	cause coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

DYLON WASH & DYE 01 VELVET BLACK

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and 3:	H314: Causes severe skin burns and eye damage.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H335: May cause respiratory irritation.
	R34: Causes burns.
	R36: Irritating to eyes.
	R37/38: Irritating to respiratory system and skin.
	R37: Irritating to respiratory system.

DYLON WASH & DYE 01 VELVET BLACK

Page: 7

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

R42/43: May cause sensitisation by inhalation and skin contact.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.