

Page: 1

Compilation date: 10/01/2011

**Revision date:** 19/04/2012

Revision No: 2

### Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name: DYLON COLOUR CATCHER +OXI STAIN REMOVER

Product code: DYL 18

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Household stain remover. 4 x 30g sachets.

# 1.3. Details of the supplier of the safety data sheet

Company name: SPOTLESS PUNCH LTD

	Betchworth House
	57 - 65 Station Road
	Redhill
	Surrey
	RH1 1DL
	UK
Tel:	+44 (0)1737 781 300
Fax:	+44 (0)1737 769 607
Email:	consumer@spotlesspunch.co.uk

### 1.4. Emergency telephone number

Emergency tel: +44 (0)1737 781 300

(office hours only)

# Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CHIP: Xi: R41

Most important adverse effects: Risk of serious damage to eyes.

2.2. Label elements

Label elements under CHIP:

Hazard symbols: Irritant.



Risk phrases: R41: Risk of serious damage to eyes. Safety phrases: S2: Keep out of the reach of children.

S25: Avoid contact with eyes.

# DYLON COLOUR CATCHER +OXI STAIN REMOVER

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S46: If swallowed, seek medical advice immediately and show this container or label.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT substance.

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

### Hazardous ingredients:

# SODIUM CARBONATE PEROXYHYDRATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
239-707-6	15630-89-4	O: R8; Xn: R22; Xi: R41	Ox. Sol. 2: H272; Acute Tox. 4: H302;	25-50%
			Eye Dam. 1: H318	

### SODIUM CARBONATE

207-838-8 497-19-8 Xi: R36	Eye Irrit. 2: H319	25-50%
----------------------------	--------------------	--------

### Non-hazardous ingredients:

### SUBTILISIN

EINECS	CAS	CHIP Classification	CLP Classification	Percent
232-752-2	9014-01-1	Xi: R37/38; Xi: R41; Sens.: R42; N: R50	STOT SE 3: H335; Skin Irrit. 2: H315; Eye Dam. 1: H318; Resp. Sens. 1: H334; Aquatic Acute 1: H400	<1%

### Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# DYLON COLOUR CATCHER +OXI STAIN REMOVER

### 4.3. Indication of any immediate medical attention and special treatment needed

### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Water. Water

spray.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

# Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

#### 6.4. Reference to other sections

### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of dust in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

### Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

# DYLON COLOUR CATCHER +OXI STAIN REMOVER

	raye: ·
8.1. DNEL/PNEC Values	
DNEL / PNEC	No data available.
8.2. Exposure controls	
Engineering measures:	Ensure there is sufficient ventilation of the area.
• •	PVC gloves. Rubber gloves. Gloves (alkali-resistant).
-	Safety glasses with side-shields. Ensure eye bath is to hand.
	Protective clothing.
ection 9: Physical and cher	mical properties
9.1. Information on basic phy	vsical and chemical properties
State:	Powder
Colour:	Off-white
Odour:	Pleasant
Solubility in water:	Soluble
pH:	< 11.5 (10% sol)
9.2. Other information	
Other information:	No data available.
ection 10: Stability and read	ctivity
10.1. Reactivity	
10.2. Chemical stability	
Chemical stability:	Stable under normal conditions.
10.3. Possibility of hazardous	s reactions
10.4. Conditions to avoid	
Conditions to avoid:	Humidity. Heat.
10.5. Incompatible materials	
Materials to avoid:	Acids. Bases. Strong oxidising agents. Strong reducing agents.
10.6. Hazardous decompositi	ion products
	In combustion emits toxic fumes
Haz. decomp. products:	
Haz. decomp. products: ection 11: Toxicological inf	
	formation

# DYLON COLOUR CATCHER +OXI STAIN REMOVER

**Page:** 5

# Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	>2000	mg/kg

# Hazardous ingredients:

### SODIUM CARBONATE PEROXYHYDRATE

IHL	RAT	LC50	> 4580	mg/m3
ORL	RAT	LD50	1034	mg/kg
SKN	RBT	LDLO	> 2000	mg/kg

# SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

# Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# Section 12: Ecological information

### 12.1. Toxicity

# Hazardous ingredients:

# SODIUM CARBONATE PEROXYHYDRATE

-	48H EC50	4.9	mg/l
-	48H NOEC	1	mg/l
FATHEAD MINNOWS	96H LC50	70.7	mg/l
FATHEAD MINNOWS	96H NOEC	1	mg/l

### SODIUM CARBONATE

-	-	-	-	
12.2. Persistence and degradability				

Persistence and degradability: Biodegradable.

# DYLON COLOUR CATCHER +OXI STAIN REMOVER

### 12.3. Bioaccumulative potential

### Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

# 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### Section 14: Transport information

Transport class: This product does not require a classification for transport.

### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# Section 16: Other information

### Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.
	Sections 2 & 12: PBT - Persistence Bioaccumulation Toxicity
Phrases used in s.2 and 3:	H272: May intensify fire; oxidiser.
	H302: Harmful if swallowed.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H335: May cause respiratory irritation.
	H400: Very toxic to aquatic life.
	R8: Contact with combustible material may cause fire.

# DYLON COLOUR CATCHER +OXI STAIN REMOVER

Page: 7

R22: Harmful if swallowed.

R36: Irritating to eyes.

R37/38: Irritating to respiratory system and skin.

R41: Risk of serious damage to eyes.

R42: May cause sensitisation by inhalation.

R50: Very toxic to aquatic organisms.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.