

Williams (HS) Limited Sage House, Bowden Hey Road Chapel-en-le-frith, High Peak SK23 OQZ Tel: 01298 813001 Fax: 01298 813015

# Material Safety Data Sheet

Product Name: 150ml reed diffuser Fresh blossom Article create code: 30144025 Issue Date: February 2015

#### SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT USE: Air freshener/Decorative reed diffuser SUPPLIER ADDRESS: Williams (HS) Limited, Sage House, Bowden Hey Road, Chapel-en-le-frith, High Peak. SK23 0QZ INFORMING DEPARTMENT: Technical Department EMERGENCY CALL: Email: stacey@sagedecor.com Tel: +44 1298 813001(Mo-fr, 08.30 - 17.00) +44 7734 229960/+44 7969753360 +44 7570 900688 (Out of hours)

# SECTION 2. HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids Category 3 - (H226) Skin corrosion/irritation Category 2 - (H315) Serious eye damage/eye irritation Category 1 - (H318) Skin sensitization Category 1 - (H317) Chronic aquatic toxicity Category 2 - (H411)

# Classification according to Directive 67/548/EEC or 1999/45/EC

R10, Xi;R41, R43 N,R51/53

## 2.2. Label elements

Symbols/Pictograms

Signal word Hazard Statements Danger H226 - Flammable liquid and vapor

- H315 Causes skin irritation
- H318 Causes serious eve damage
- H317 May cause an allergic skin reaction
- H411 Toxic to aquatic life with long lasting effects

Precautionary Statements	<ul> <li>P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking</li> <li>P233 - Keep container tightly closed</li> <li>P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish</li> <li>P403 + P235 - Store in a well-ventilated place. Keep cool</li> <li>P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P310 - Immediately call a POISON CENTER or doctor/physician</li> <li>P332 + P313 - If skin irritation occurs: Get medical advice/attention</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P273 - Avoid release to the environment</li> </ul>
	P273 - Avoid release to the environment P501 - Dispose of contents/ container to an approved waste disposal plant

# 2.3. Other hazards

No information available

# SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1. Mixture

Ch	emical Name	EC No		Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
	Water	231-791-2	7732-18-5	50	Not classified	Not classified
	surfactant	500-195-7	68131-39-5	15	Xi; R41 N; R50-53 R52-53	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)
	Alcohol	200-578-6	64-17-5	15	F; R11	Flam. Liq. 2 (H225)
Dipropylen	ne glycol methyl ether acetate	-	88917-22-0	10	Xi; R36/R37/R38	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)
	1-(3- Methoxypropoxy)prop an-1-ol	252-104-2	34590-94-8	2.5-5	Not classified	Not classified
	1,3,4,6,7,8- hexahydro- 4,6,6,7,8,8- hexamethylindeno(5,6 -c)pyran	214-946-9	1222-05-5	1-2.5	N; R50/53	Aquatic Chronic 1 (H410)
	1-(2,3,8,8- Tetramethyl- 1,2,3,4,5,6,7,8- octahydronaphthalen- 2-yl)ethanone	259-174-3	54464-57-2	1-2.5	Xi, N R38,R43,R51/53	Skin Irrit. 2 (H315), Skin Sens. 1 (H317), Aquatic Chronic 1 (H410)
	Benzyl acetate	205-399-7	140-11-4	0.25-1	R52/53	Aquatic Chronic 3 (H412)
AR392131	2-phenylethanol	200-456-2	60-12-8	0.25-1	Xn R22,R36	Acute Tox. 4 (oral) (H302), Eye Irrit. 2 (H319)
	1,5-Dimethyl-1- vinylhex-4-en-1-yl acetate	204-116-4	115-95-7	0.1-0.25	Xi R38	Skin Irrit. 2 (H315), Eye Irrit. 2 (H319)
	3,7-Dimethylocta-1,6- dien-3-ol	201-134-4	78-70-6	0.1-0.25	Xi R38	Skin Irrit. 2 (H315), Eye Irrit. 2 (H319)
	3,7-Dimethylocta-2,6- dien-1-ol	203-377-1	106-24-1	0.1-0.25	Xi R38,R41,R43	Skin Irrit. 2 (H315), Skin Sens. 1 (H317), Eye Dam. 1 (H318)
	3,7-Dimethyloct-6-en- 1-ol	203-375-0	106-22-9	0.1-0.25	Xi, N R38,R43,R51/53	Skin Irrit. 2 (H315), Skin Sens. 1 (H317), Eye Irrit. 2 (H319)
	4-Isopropenyl-1- methylcyclohexene	227-813-5	5989-27-5	0.1-0.25	Xi, N R10,R38,R43,R50/53	Flam. Liq. 3 (H226), Asp. Hazard 1 (H304), Skin Irrit. 2 (H315), Skin Sens. 1 (H317), Aquatic Chronic 1 (H410)

More information of the fragrance oil can be found on a separate material safety data sheet (MSDS), this is available on request.

#### SECTION 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

#### General advice

Do not get in eyes, on skin, or on clothing. If symptoms persist, call a physician.

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

#### **Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

## Ingestion

Rinse mouth Get medical attention Never give anything by mouth to an unconscious person

#### 4.2. Most important symptoms and effects, both acute and delayed

Eye Damage Skin irritation May cause sensitization by skin contact

#### **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

SECTION 5. FIRE FIGHTING MEASURES

## 5.1. Extinguishing media Suitable extinguishing media

Unsuitable extinguishing media

Dry chemical, alcohol resistant foam or carbon dioxide, water spray. No information available

#### **5.2. Special hazards arising from the substance or mixture** Flammable liquid and vapour.

Thermal decomposition can lead to release of irritating and toxic gases and vapors: oxides of carbon.

#### 5.3. Advice for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin Evacuate personnel to safe areas Remove all sources of ignition Contaminated work clothing should not be allowed out of the workplace Use personal protection recommended in Section 8

#### 6.2. Environmental precautions

Local authorities should be advised if significant spillages cannot be contained Prevent entry into waterways, sewers, basements or confined areas

## 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13)

## 6.4. Reference to other sections

See Section 7 for more information See section 8 for more information See section 13 for more information

# SECTION 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice Ensure adequate ventilation, especially in confined areas Avoid contact with skin, eyes or clothing Wash contaminated clothing before reuse Do not eat, drink or smoke when using this product Wash thoroughly after handling Use personal protection recommended in Section 8

# 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place Keep away from heat, sparks, flame and other sources of ignition Store in accordance with the particular national regulations

## 7.3. Specific end use(s)

Apart from the uses mentioned in SECTION 1.2 no other specific uses are stipulated.

## SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

## 8.1. Control parameters

Chemical Name	Australia	Austria	Belgium	Denmark	European Union
Water (CAS #: 7732-18-5)	-	-	-	-	STEL: 125 ppm TWA: 100 ppm
Alcohol (CAS #: 64-17-5)	1000 ppm 1880 mg/m <sup>3</sup>	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	-	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	-
1-(3- Methoxypropoxy)propan-1-ol (CAS #: 34590-94-8)	50 ppm 308 mg/m <sup>3</sup> Skin	Skin STEL 100 ppm STEL 614 mg/m <sup>3</sup> TWA: 50 ppm TWA: 307 mg/m <sup>3</sup>	-	TWA: 50 ppm TWA: 309 mg/m <sup>3</sup> Skin	-
Benzyl acetate (CAS #: 140- 11-4)	-	-	-	TWA: 10 ppm TWA: 61 mg/m <sup>3</sup>	-

Chemical Name	Latvia	France	Finland	Germany	Italy
Alcohol (CAS #: 64-17-5)	TWA: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 5000 ppm STEL: 9500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 960 mg/m <sup>3</sup> Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m <sup>3</sup> Skin	-
4-IsopropenyI-1- methylcyclohexene (CAS #: 5989-27-5)		TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup>	TWA: 25 ppm TWA: 140 mg/m <sup>3</sup> STEL: 50 ppm STEL: 280 mg/m <sup>3</sup>	TWA: 5 ppm TWA: 28 mg/m <sup>3</sup> Ceiling / Peak: 20 ppm Ceiling / Peak: 112 mg/m <sup>3</sup> Skin	-

Chemical Name	Poland	Portugal	Spain	Switzerland	Netherlands
Alcohol (CAS #: 64-17-5)	TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm	STEL: 1000 ppm STEL: 1910 mg/m <sup>3</sup>	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup>	Skin STEL: 1900 mg/m <sup>3</sup>
			TWA: 1000 ppm	TWA: 500 ppm	TWA: 260 mg/m <sup>3</sup>
			TWA: 1910 mg/m <sup>3</sup>	TWA: 960 mg/m <sup>3</sup>	TWA. 200 mg/m
4-Isopropenyl-1-	-	-	-	STEL: 40 ppm	-
methylcyclohexene (CAS #:				STEL: 220 mg/m <sup>3</sup>	
5989-27-5)				TWA: 20 ppm	
				TWA: 110 mg/m <sup>3</sup>	

Chemical Name	Norway	United Kingdom	ACGIH TLV	OSHA PEL	NIOSH IDLH
Alcohol (CAS #: 64-17-5)	TWA: 500 ppm	STEL: 3000 ppm	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
	TWA: 950 mg/m <sup>3</sup>	STEL: 5760 mg/m <sup>3</sup>		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
	STEL: 625 ppm	TWA: 1000 ppm		(vacated) TWA: 1000	TWA: 1900 mg/m <sup>3</sup>
	STEL: 1187.5 mg/m <sup>3</sup>	TWA: 1920 mg/m <sup>3</sup>		ppm	
				(vacated) TWA: 1900	
				mg/m <sup>3</sup>	
1-(3-	-	-	STEL: 150 ppm	-	-
Methoxypropoxy)propan-1-ol			TWA: 100 ppm		
(CAS #: 34590-94-8)			S*		
Benzyl acetate (CAS #: 140-	-	-	TWA: 10 ppm	-	-
11-4)					
4-Isopropenyl-1-	TWA: 25 ppm	-	-	-	-
methylcyclohexene (CAS #:	TWA: 140 mg/m <sup>3</sup>				
5989-27-5)	STEL: 37.5 ppm				
	STEL: 175 mg/m <sup>3</sup>				

# Derived No Effect Level (DNEL)

No information available.

# Predicted No Effect Concentration (PNEC)

No information available.

# 8.2. Exposure controls

# **Engineering Controls**

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

# Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles)
Hand Protection	Wear protective gloves
Skin and body protection	Suitable protective clothing
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment

## Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties					
Liquid					
No information available					
No information available					
Not determined					
Not determined					
Not determined					
Not determined					
27°C					
Not determined					
Not determined					
Not determined					
Not determined					
Not determined					
Not determined					
Not determined					

Specific gravity Water solubility Partition coefficient (LogPow) Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties Not determined Not determined Alcohol (CAS #: 64-17-5) = -0.32 Not determined Not determined Not determined Not determined Not an explosive Not determined

## 9.2. Other information

No information available

SECTION 10. STABILITY AND REACTIVITY

#### 10.1. Reactivity

No information available.

## 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

None under normal processing.

# **10.4. Conditions to avoid**

Heat, flames and sparks

## 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

None under normal use conditions

SECTION 11. TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

# Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water (CAS #: 7732-18-5)	90 mL/kg(Rat)	-	-
Alcohol (CAS #: 64-17-5)	-	-	= 124.7 mg/L (Rat)4 h
1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno(5,6-c)pyran (CAS #: 1222-05-5)	> 4640 mg/kg bw (OECD 401)	> 10000 mg/kg bw (OECD 402)	-
4-Isopropenyl-1- methylcyclohexene (CAS #: 5989-27-5)	-	>5 g/kg (Rabbit)	-

#### Skin corrosion/irritation

Irritating to skin.

# Serious eye damage/eye irritation

Causes serious eye damage.

#### Sensitization

May cause sensitization by skin contact.

# Germ cell mutagenicity

No information available.

# Carcinogenicity

Chemical Name	European Union	IARC
Alcohol (CAS #: 64-17-5)	-	Group 1
4-Isopropenyl-1-methylcyclohexene (CAS #: 5989-	-	Group 3
27-5)		

# Reproductive toxicity

No information available.

## STOT - single exposure

No information available.

# **STOT - repeated exposure**

No information available.

# Aspiration hazard

No information available.

## SECTION 12. ECOLOGICAL INFORMATION

# 12.1. Toxicity

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
Alcohol (CAS #: 64-17-5)	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia
		mykiss mL/L LC50 static 100:	magna mg/L LC50 10800: 24 h
		96 h Pimephales promelas mg/L	
		LC50 static 13400 - 15100: 96 h	48 h Daphnia magna mg/L
		Pimephales promelas mg/L	EC50 Static
		LC50 flow-through	
2-phenylethanol (CAS #: 60-12-	490: 72 h Desmodesmus	-	-
8)	subspicatus mg/L EC50		
3,7-Dimethylocta-1,6-dien-3-ol	88.3: 96 h Desmodesmus	-	-
(CAS #: 78-70-6)	subspicatus mg/L EC50		
4-Isopropenyl-1-	-	0.619 - 0.796: 96 h Pimephales	-
methylcyclohexene (CAS #:		promelas mg/L LC50 flow-	
5989-27-5)		through 35: 96 h Oncorhynchus	
		mykiss mg/L LC50	

# 12.2. Persistence and degradability

No information available. 12.3. Bioaccumulative potential

Chemical Name	Partition coefficient (LogPow)			
Alcohol (CAS #: 64-17-5)	-0.32			

## 12.4. Mobility in soil

No information available

## 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment information is not available as chemical safety assessment not conducted.

## 12.6. Other adverse effects

No information available

## SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods	
Waste from residues/unused	Disposal should be in accordance with applicable regional, national and local laws
products	and regulations
Contaminated packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations

SECTION 14. TRANSPORT INFORMATION

14.1 UN Number	1266
14.2 Proper shipping name	PERFUMERY PRODUCTS with flammable solvents
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Environmental hazards	Marine pollutant
14.6 Special precautions	No information available
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

# SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### International Inventories

Component	TSCA	DSL/NDS L	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Water 7732-18-5 ( 50 )	Х	Х	Х	-	Х	Х	Х	Х
surfactant 68131- 39-5 (15)	Х	Х	-	Х	X	Х	Х	Х
Alcohol 64-17-5(15)	Х	Х	Х	Х	X	Х	X	Х
Dipropylene glycol methyl ether acetate 88917-22-0 (10)	Х	X	Х	Х	X	Х	X	Х
1-(3- Methoxypropoxy) propan-1-ol 34590-94-8 ( 2.5- 5 )	Х	X	Х	Х	X	Х	X	X
1,3,4,6,7,8- hexahydro- 4,6,6,7,8,8- hexamethylinden o(5,6-c)pyran 1222-05-5 (1-2.5 )	Х	X	X	Х	X	X	x	x
1-(2,3,8,8- Tetramethyl- 1,2,3,4,5,6,7,8- octahydronaphtha len-2-yl)ethanone 54464-57-2 (1- 2.5)	X	X	X	X	X	X	X	X
Benzyl acetate 140-11-4 ( 0.25-1 )	Х	X	Х	Х	X	Х	X	X
2-phenylethanol 60-12-8 (0.25-1)	Х	Х	Х	Х	Х	Х	Х	Х
1,5-Dimethyl-1-	Х	Х	Х	Х	Х	Х	Х	Х

vinylhex-4-en-1-yl acetate 115-95-7 ( 0.1-0.25 )								
3,7-Dimethylocta- 1,6-dien-3-ol 78-70-6 ( 0.1- 0.25 )	Х	X	X	X	X	X	X	X
3,7-Dimethylocta- 2,6-dien-1-ol 106-24-1 ( 0.1- 0.25 )	Х	X	X	X	X	X	X	X
3,7-Dimethyloct- 6-en-1-ol 106-22-9 ( 0.1- 0.25 )	Х	X	X	X	X	X	X	X
4-Isopropenyl-1- methylcyclohexen e 5989-27-5 ( 0.1- 0.25 )	Х	X	X	X	X	X	X	X

"-" Not Listed

"X" Listed

# 15.2. Chemical safety assessment

No information available

## SECTION 16. OTHER INFORMATION

The information on this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy.

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.