

DYLON MACHINE FABRIC DYE TULIP RED 350G

Page: 1

Compilation date: 22/07/2014

# Section 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name: DYLON MACHINE FABRIC DYE TULIP RED 350G Product code: MFD 36 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: Domestic Fabric Dye. 350 g. 1.3. Details of the supplier of the safety data sheet Company name: SPOTLESS PUNCH LTD **Betchworth House** 57 - 65 Station Road Redhill Surrey RH1 1DL UK Tel: +44 (0)1737 781 300 Fax: +44 (0)1737 769 607 Email: consumer@spotlesspunch.co.uk 1.4. Emergency telephone number Emergency tel: +44 (0)1737 781 300 (office hours only) Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Skin Sens. 1: H317; Eye Irrit. 2: H319 Classification under CHIP: Xi: R36; Sens.: R43 Most important adverse effects: May cause an allergic skin reaction. Causes serious eye irritation. 2.2. Label elements Label elements under CLP: Hazard statements: H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. Signal words: Warning Hazard pictograms: GHS07: Exclamation mark

Precautionary statements: P101: If medical advice is needed, have product container or label at hand.

# DYLON MACHINE FABRIC DYE TULIP RED 350G

**Page:** 2

P102: Keep out of reach of children.

P280: Wear protective gloves.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+313: If skin irritation or rash occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

# 2.3. Other hazards

**PBT:** This product is not identified as a PBT substance.

# Section 3: Composition/information on ingredients

## 3.2. Mixtures

# Hazardous ingredients:

# SODIUM CARBONATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	25-50%
C.I. REACTIVE	RED 159			
280-427-9	83400-12-8	-	Skin Sens. 1: H317	1-5%

#### Non-hazardous ingredients:

#### C.I. REACTIVE RED 123

EINECS	CAS	CHIP Classification	CLP Classification	Percent
273-401-3	68959-17-1	-	Resp. Sens. 1: H334; Skin Sens. 1: H317	<1%

# C.I. REACTIVE ORANGE 64

280-744-2	83763-57-9	-	Resp. Sens. 1: H334; Skin Sens. 1:	<1%
			H317	

#### Section 4: First aid measures

# 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

# DYLON MACHINE FABRIC DYE TULIP RED 350G

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact:	There may be irritation and redness at the site of contact. An itchy rash may occur at the		
	site of contact.		
Eye contact:	There may be irritation and redness. The eyes may water profusely.		
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach		
	pain may occur.		
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may		
	cause coughing or wheezing.		

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

# Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

# Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Do not create dust.

## 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Wash the spillage site with large amounts of water.

Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

## 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air.

# DYLON MACHINE FABRIC DYE TULIP RED 350G

Page: 4

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

# 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves. Gloves (alkali-resistant). Nitrile gloves. Rubber gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Powder Colour: Pink Solubility in water: Highly soluble

pH: 11 (10g/L)

9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# DYLON MACHINE FABRIC DYE TULIP RED 350G

# 10.4. Conditions to avoid

# Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide. Contact with acids liberates toxic

gas.

# Section 11: Toxicological information

# 11.1. Information on toxicological effects

# Hazardous ingredients:

#### SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

# C.I. REACTIVE RED 159

ORL RAT LD50	> 2000	mg/kg
--------------	--------	-------

#### **Relevant effects for mixture:**

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

# Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact. An itchy rash may occur at the
	site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may
	cause coughing or wheezing.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
Section 12: Ecological infor	mation

# Section 12: Ecological information

12.1. Toxicity

# DYLON MACHINE FABRIC DYE TULIP RED 350G

**Page:** 6

> 100

mg/l

## Hazardous ingredients:

# SODIUM CARBONATE

# C.I. REACTIVE RED 159

FISH (Leiciscus idus)

96H LC50

#### 12.2. Persistence and degradability

#### Persistence and degradability: No data available.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

#### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Disposal of packaging:
 Dispose of as normal industrial waste.

 NB:
 The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### Section 14: Transport information

Transport class: This product does not require a classification for transport.

#### Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

# Section 16: Other information

# Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and 3:** H317: May cause an allergic skin reaction.

# DYLON MACHINE FABRIC DYE TULIP RED 350G

H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled. R36: Irritating to eyes.

R43: May cause sensitisation by skin contact.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.