

Page: 1

Compilation date: 22/07/2014

Section 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name: DYLON MACHINE FABRIC DYE ROSEWOOD RED 350G Product code: MFD 64 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: Domestic Fabric Dye. 350 g. 1.3. Details of the supplier of the safety data sheet Company name: SPOTLESS PUNCH LTD **Betchworth House** 57 - 65 Station Road Redhill Surrey RH1 1DL UK Tel: +44 (0)1737 781 300 Fax: +44 (0)1737 769 607 Email: consumer@spotlesspunch.co.uk 1.4. Emergency telephone number Emergency tel: +44 (0)1737 781 300 (office hours only) Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Skin Sens. 1: H317; Eye Irrit. 2: H319 Classification under CHIP: Xi: R36; Sens.: R43 Most important adverse effects: May cause an allergic skin reaction. Causes serious eye irritation. 2.2. Label elements Label elements under CLP: Hazard statements: H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. Signal words: Warning Hazard pictograms: GHS07: Exclamation mark

Precautionary statements: P101: If medical advice is needed, have product container or label at hand.

DYLON MACHINE FABRIC DYE ROSEWOOD RED 350G

Page:2P102: Keep out of reach of children.2P280: Wear protective gloves.2P302+352: IF ON SKIN: Wash with plenty of soap and water.4P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove4contact lenses, if present and easy to do. Continue rinsing.5P333+313: If skin irritation or rash occurs: Get medical advice/attention.5P337+313: If eye irritation persists: Get medical advice/attention.5

2.3. Other hazards

PBT: This product is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM CARBONATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent	
207-838-8	497-19-8	-	Eye Irrit. 2: H319	25-50%	
C.I. REACTIVE RED 159					
280-427-9	83400-12-8	-	Skin Sens. 1: H317	1-5%	
C.I. REACTIVE YELLOW 27					
278-108-4	75199-00-7	-	Skin Sens. 1: H317	1-5%	

Section 4: First aid measures

4.1. Description of first aid measures			
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash		
	immediately with plenty of soap and water.		
Eye contact:	: Bathe the eye with running water for 15 minutes. Consult a doctor.		
Ingestion:	on: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water		
	to drink immediately. Consult a doctor.		
Inhalation:	Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.		
4.2. Most important symptoms and effects, both acute and delayed			
Skin contact:	There may be irritation and redness at the site of contact. An itchy rash may occur at the		
	site of contact.		
Eye contact:	There may be irritation and redness. The eyes may water profusely.		
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach		
	pain may occur.		
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest. Exposure may		
	cause coughing or wheezing.		
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.		

DYLON MACHINE FABRIC DYE ROSEWOOD RED 350G

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Wash the spillage site with large amounts of water.

Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DYLON MACHINE FABRIC DYE ROSEWOOD RED 350G

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves. Gloves (alkali-resistant). Nitrile gloves. Rubber gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

 State:
 Powder

 Colour:
 Orange-brown

 Odour:
 Barely perceptible odour

 Solubility in water:
 Highly soluble

 pH:
 11 (10g/l)

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: Contact with acids liberates toxic gas. In combustion emits toxic fumes of carbon dioxide.

DYLON MACHINE FABRIC DYE ROSEWOOD RED 350G

Page: 5

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

C.I. REACTIVE RED 159

ORL RAT LD50	> 2000	mg/kg
--------------	--------	-------

C.I. REACTIVE YELLOW 27

ORAL RAT LD50 >5000 mg/kg

Relevant effects for mixture:

Effect	Route	Basis	
Irritation	OPT	Hazardous: calculated	
Sensitisation	DRM	Hazardous: calculated	

Symptoms / routes of exposure

 Skin contact:
 There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.

 Eye contact:
 There may be irritation and redness. The eyes may water profusely.

 Ingestion:
 There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

 Inhalation:
 There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

 Delayed / immediate effects:
 Immediate effects can be expected after short-term exposure.

12.1. Toxicity

Hazardous ingredients:

SODIUM CARBONATE

DYLON MACHINE FABRIC DYE ROSEWOOD RED 350G

Page: 6

C.I. REACTIVE RED 159					
FISH (Leiciscus idus)		96H LC50	> 100	mg/l	
12.2. Persistence and degrad	lability				
Persistence and degradability: 12.3. Bioaccumulative poten					
Bioaccumulative potential: No bioaccumulation potential.					
12.4. Mobility in soil					
12.5. Results of PBT and vPv	B assessment				
PBT identification:	This product is not identif	fied as a PBT substan	ice.		
12.6. Other adverse effects					
Other adverse effects:	Negligible ecotoxicity.				
Section 13: Disposal considerations					
13.1. Waste treatment methods					
Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal					
company.					
	g: Dispose of as normal industrial waste.				
NB:	B: The user's attention is drawn to the possible existence of regional or national				
	regulations regarding disposal.				
Section 14: Transport inform	nation				
Transport class: This product does not require a classification for transport.					
Section 15: Regulatory information					
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture					
15.2 Chemical Safety Asses	sment				
15.2. Chemical Safety Assessment					
Section 16: Other information					
Other information					
Other information:	This safety data sheet is	prepared in accordan	ce with Commission	Regulation (EU) No	
	453/2010.				
	* indicates text in the SDS	S which has changed	since the last revisio	n.	
Phrases used in s.2 and 3: H317: May cause an allergic skin reaction.					
	H319: Causes serious ey	e irritation.			
	R36: Irritating to eyes.				
	R43: May cause sensitisation by skin contact.				
Legal disclaimer:	Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive				
- • •					

DYLON MACHINE FABRIC DYE ROSEWOOD RED 350G

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 7