

Page: 1

Compilation date: 20/10/2014

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: DYLON MACHINE FABRIC DYE EMERALD GREEN 350G

Product code: MFD 04

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Domestic Fabric Dye. 350 g.

1.3. Details of the supplier of the safety data sheet

Company name: SPOTLESS PUNCH LTD

Betchworth House 57 - 65 Station Road

Redhill Surrey RH1 1DL IJK

Tel: +44 (0)1737 781 300 Fax: +44 (0)1737 769 607

Email: consumer@spotlesspunch.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0)1737 781 300

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; -: EUH208

Classification under CHIP: Xi: R36

Most important adverse effects: Causes serious eye irritation. Contains c.i. reactive blue 225, c.i. reactive blue 203, c.i.

reactive yellow 111, c.i. reactive black 5. May produce an allergic reaction.

2.2. Label elements

Label elements under CLP:

Hazard statements: H319: Causes serious eye irritation.

EUH208: Contains c.i. reactive blue 225, c.i. reactive blue 203, c.i. reactive yellow 111,

c.i. reactive black 5. May produce an allergic reaction.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



DYLON MACHINE FABRIC DYE EMERALD GREEN 350G

Page: 2

Precautionary statements: P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P280: Wear protective gloves.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM CARBONATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	25-50%

Non-classified ingredients:

C.I. REACTIVE YELLOW 111

_	_			
EINECS	CAS	CHIP Classification	CLP Classification	Percent
273-336-0	68957-39-1	-	-	<1%
C.I. REACTIVI	E BLUE 225			
401-560-2	108624-00-6	-	Skin Sens. 1: H317	<1%
C.I. REACTIVI	E BLUE 203			
-	147826-71-9	-	Resp. Sens. 1: H334; Skin Sens. 1: H317	<1%
DISODIUM ME	ETASILICATE			
229-912-9	6834-92-0	Skin Corr. 1B: H314; STOT SE 3: H335		<1%
C.I. REACTIVI	E BLACK 5			
241-164-5	17095-24-8	-	Resp. Sens. 1: H334; Skin Sens. 1:	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water

H317

to drink immediately. Consult a doctor.

DYLON MACHINE FABRIC DYE EMERALD GREEN 350G

Page: 3

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be redness or whiteness of the skin in the area of exposure.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Show this safety data sheet to the doctor in attendance.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in

the air. Avoid direct contact with the substance.

DYLON MACHINE FABRIC DYE EMERALD GREEN 350G

Page: 4

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Hand protection: Protective gloves. PVC gloves. Butyl gloves. Nitrile gloves. Rubber gloves. Gloves

(alkali-resistant).

Eye protection: Safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Powder Colour: Green

Odour: Characteristic odour

Solubility in water: Highly soluble **Flash point°C:** Not applicable.

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Decomposition may occur on exposure to conditions or materials listed below.

DYLON MACHINE FABRIC DYE EMERALD GREEN 350G

Page: 5

10.4. Conditions to avoid

Conditions to avoid: Humidity.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

SODIUM CARBONATE

12.2. Persistence and degradability

Persistence and degradability: No data available.

DYLON MACHINE FABRIC DYE EMERALD GREEN 350G

Page: 6

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335: May cause respiratory irritation.

R36: Irritating to eyes.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration

DYLON MACHINE FABRIC DYE EMERALD GREEN 350G

Page: 7

EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.