

Williams (HS) Limited Sage House, Bowden Hey Road Chapel-en-le-frith, High Peak SK23 0QZ Tel: 01298 813001 Fax: 01298 813015

# Material Safety Data Sheet

Product Name: 150ml Coconut reed diffuser Supplier code: C81564PR Article create code: 30179603 Barcode: 5054077191463 Issue Date: May 2015

#### SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT USE: Air freshener/Decorative reed diffuser SUPPLIER ADDRESS: Williams (HS) Limited, Sage House, Bowden Hey Road, Chapel-en-le-frith, High Peak. SK23 0QZ INFORMING DEPARTMENT: Technical Department EMERGENCY CALL: Email: stacey@sagedecor.com Tel: +44 1298 813001(Mo-fr, 08.30 - 17.00) +44 7734 229960/+44 7969753360 +44 7570 900688 (Out of hours)

#### SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquid Category 3 - (H226) Skin corrosion/irritation Category 2 - (H315) Serious eye damage/eye irritation Category 1 - (H318) Skin sensitization Category 1 - (H317)

**Classification according to Directive 67/548/EEC or 1999/45/EC** R10 Xi;R41 R43 N;R51/53 R10 Xi;R41 R43

2.2. Label elements

Symbols/Pictograms



Signal word

- Hazard Statements
- H226 Flammable liquid and vapour.
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H411 Toxic to aquatic life with long lasting effects
- Precautionary Statements
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 Keep container tightly closed
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
- P403 + P235 Store in a well-ventilated place. Keep cool
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
- lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor/physician
- P332 + P313 If skin irritation occurs: Get medical advice/attention
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P273 Avoid release to the environment
- P501 Dispose of contents/ container to an approved waste disposal plant

#### SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1. Mixture

Ch	emical Na	ame	EC No	CAS No	Weight-%	acco Directive	sification rding to 67/548/EEC 99/45/EC	Classification a Regulation ( 1272/2008	EC) No.
	Water		231-791-2	7732-18-5	50	Not c	lassified	Not class	ified
Surfactant		t	500-195-7	68131-39-5	15	N; F	; R41 R50-53 52-53	Eye Dam. 1 Aquatic Acute Aquatic Chroni	1 (H400)
	Alcohol		200-578-6	64-17-5	15	F	; R11	Flam. Liq. 2	(H225)
Dipropylene glycol methyl ether acetate		nethyl ether	-	88917-22-0	10	Xi; R36	3 /R37/R38	Skin Irrit. 2 Eye Irrit. 2 ( STOT SE 3	H319)
	Methoxy	1-(3- propoxy)prop n-1-ol	252-104-2	34590-94-8	5-7.5	Not c	classified	Not class	ified
	1,3,4,6,7,8- hexahydro- 4,6,6,7,8,8- hexamethylindeno(5,6 -c)pyran		214-946-9	1222-05-5	1-2.5	N; I	R50-53	Aquatic Chronic	c 1 (H410)
Fragrance oil	Tetra 1,2,3, octahydro	2,3,8,8- amethyl- 4,5,6,7,8- onaphthalen- ethanone	259-174-3	54464-57-2	0.25-1	Xi, N R38	9,R43,R51/53	(H410	c Chronic 1 )
	2-Benzylideneoctanal		202-983-3	101-86-0	0.25-1	Xi R	38,R43	Skin Sens. 1 (H3 Chronic 2 (	
	methylpe	iydroxy-4- ntyl)cyclohex arbaldehyde	250-863-4	31906-04-4	0.1-0.25	Xi R4	3,R52/53	Skin Sens. 1 (H3 Chronic 3 (	
3-Methyl-4-(2,6,6- trimethylcyclohex-2- en-1-yl)but-3-en-2- one 204-846-3		127-51-5	0.1-0.25	Xi,   R36/38,R4		1 (H317), A	H315), Skin Sens. quatic Chronic 2 H411)		

#### **General advice**

May cause allergic skin reaction. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

#### **Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.

#### Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Ingestion

Rinse mouth Get medical attention Never give anything by mouth to an unconscious person

# 4.2. Most important symptoms and effects, both acute and delayed

May cause allergic skin reaction Eye Damage Skin irritation

**4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

SECTION 5. FIRE FIGHTING MEASURES

#### 5.1. Extinguishing media

Suitable extinguishing media

Dry chemical, alcohol resistant foam or carbon dioxide, water spray. No information available

# Unsuitable extinguishing media

#### 5.2. Special hazards arising from the substance or mixture Flammable liquid and vapour.

Thermal decomposition can lead to release of irritating and toxic gases and vapors: oxides of carbon.

## 5.3. Advice for firefighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes and skin Evacuate personnel to safe areas Remove all sources of ignition Contaminated work clothing should not be allowed out of the workplace Use personal protection recommended in Section 8

# 6.2. Environmental precautions

Local authorities should be advised if significant spillages cannot be contained Prevent entry into waterways, sewers, basements or confined areas

# 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13)

# 6.4. Reference to other sections

See Section 7 for more information See section 8 for more information See section 13 for more information

# SECTION 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice Ensure adequate ventilation, especially in confined areas Avoid contact with skin, eyes or clothing Wash contaminated clothing before reuse Do not eat, drink or smoke when using this product Wash thoroughly after handling Use personal protection recommended in Section 8

# 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a cool, well-ventilated place Keep away from heat, sparks, flame and other sources of ignition Store in accordance with the particular national regulations

# 7.3. Specific end use(s)

Apart from the uses mentioned in SECTION 1.2 no other specific uses are stipulated.

# SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION 8.1 Control parameters

o. I. Control parameters					
Chemical Name	Australia	Austria	Belgium	Denmark	European Union
Water (CAS #: 7732-18-5)	-	-	-	-	STEL: 125 ppm
					TWA: 100 ppm
Alcohol (CAS #: 64-17-5)	1000 ppm 1880 mg/m <sup>3</sup>	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	-	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	-
1-(3-Methoxypropoxy)propan- 1-ol (CAS #: 34590-94-8)	50 ppm 308 mg/m <sup>3</sup> Skin	Skin STEL 100 ppm STEL 614 mg/m <sup>3</sup> TWA: 50 ppm TWA: 307 mg/m <sup>3</sup>	-	TWA: 50 ppm TWA: 309 mg/m <sup>3</sup> Skin	-

Chemical Name	Latvia	France	Finland	Germany	Italy
Alcohol (CAS #: 64-17-5)	TWA: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 5000 ppm STEL: 9500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 960 mg/m <sup>3</sup> Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m <sup>3</sup> Skin	_

Chemical Name	Poland	Portugal	Spain	Switzerland	Netherlands
Alcohol (CAS #: 64-17-5)	TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm	STEL: 1000 ppm	STEL: 1000 ppm	Skin
			STEL: 1910 mg/m <sup>3</sup>	STEL: 1920 mg/m <sup>3</sup>	STEL: 1900 mg/m <sup>3</sup>
			TWA: 1000 ppm	TWA: 500 ppm	TWA: 260 mg/m <sup>3</sup>
			TWA: 1910 mg/m <sup>3</sup>	TWA: 960 mg/m <sup>3</sup>	-

Chemical Name	Norway	United Kingdom	ACGIH TLV	OSHA PEL	NIOSH IDLH
Alcohol (CAS #: 64-17-5)	TWA: 500 ppm TWA: 950 mg/m <sup>3</sup> STEL: 625 ppm STEL: 1187.5 mg/m <sup>3</sup>	STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
1-(3-Methoxypropoxy)propan- 1-ol (CAS #: 34590-94-8)	-	-	STEL: 150 ppm TWA: 100 ppm S*	-	-

# **Derived No Effect Level (DNEL)**

No information available.

# Predicted No Effect Concentration (PNEC)

No information available.

# 8.2. Exposure controls

# Engineering Controls

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

# Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles)
Hand Protection	Wear protective gloves
Skin and body protection	Suitable protective clothing
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment

# **Environmental exposure controls**

Do not allow into any sewer, on the ground or into any body of water

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

erri internation en baele physical and enemical p	
Appearance	Liquid
Color	No information available
Odor	No information available
Odor Threshold	Not determined
рН	Not determined
Melting point/freezing point	Not determined
Boiling point / boiling range	Not determined
Flash point	27°C
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Flammability Limit in Air	Not determined
Vapor Pressure	Not determined
Vapor density	Not determined
Density	Not determined
Relative density	Not determined
Specific gravity	Not determined
Water solubility	Not determined
Partition coefficient (LogPow)	Alcohol (CAS #: 64-17-5) = -0.32
Autoignition temperature	Not determined
Decomposition temperature	Not determined
Kinematic viscosity	Not determined
Dynamic viscosity	Not determined
Explosive properties	Not an explosive
Oxidizing properties	Not determined

SECTION 10. STABILITY AND REACTIVITY 10.1. Reactivity No information available.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

None under normal processing.

# 10.4. Conditions to avoid

Heat, flames and sparks

#### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

None under normal use conditions

#### SECTION 11. TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

# Acute toxicity

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water (CAS #: 7732-18-5)	90 mL/kg(Rat)	-	-
Alcohol (CAS #: 64-17-5)	-	-	= 124.7 mg/L (Rat)4 h
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-	> 4640 mg/kg bw (OECD 401)	> 10000 mg/kg bw (OECD 402)	
hexamethylindeno(5,6-c)pyran			
(CAS #: 1222-05-5)			

# Skin corrosion/irritation

Causes skin irritation

# Serious eye damage/eye irritation

Causes serious eye damage.

## Sensitization

May cause an allergic skin reaction

# Germ cell mutagenicity

No information available.

#### Carcinogenicity

Chemical Name	European Union	IARC
Alcohol (CAS #: 64-17-5)	-	Group 1

# **Reproductive toxicity**

No information available.

# STOT - single exposure

No information available.

# **STOT - repeated exposure**

No information available.

#### Aspiration hazard

No information available.

### SECTION 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
Alcohol (CAS #: 64-17-5)	-	12.0 - 16.0: 96 h Oncorhynchus	9268 - 14221: 48 h Daphnia
		mykiss mL/L LC50 static 100:	magna mg/L LC50 10800: 24 h
		96 h Pimephales promelas mg/L	Daphnia magna mg/L EC50 2:
		LC50 static 13400 - 15100: 96 h	48 h Daphnia magna mg/L
		Pimephales promelas mg/L	EC50 Static
		LC50 flow-through	

12.2. Persistence and degradability No information available.

#### 12.3. Bioaccumulative potential

Chemical Name	Partition coefficient (LogPow)
Alcohol (CAS #: 64-17-5)	-0.32

#### 12.4. Mobility in soil

No information available

# 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment information is not available as chemical safety assessment not conducted.

# 12.6. Other adverse effects

No information available

# SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from residues/unused	Disposal should be in accordance with applicable regional, national and local laws
products	and regulations
Contaminated packaging	Disposal should be in accordance with applicable regional, national and local laws
	and regulations

## SECTION 14. TRANSPORT INFORMATION

14.1 UN Number	1266
14.2 Proper shipping name	PERFUMERY PRODUCTS with flammable solvents
14.3 Hazard Class	3
14.4 Packing Group	III
14.5 Environmental hazards	Not applicable
14.6 Special precautions	No information available
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

# SECTION 15. REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### SECTION 16. OTHER INFORMATION

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour.

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H335 May cause respiratory irritation

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

#### Full text of R-phrases referred to under sections 2 and 3

R11 - Highly flammable

R41 - Risk of serious damage to eyes.

R38 - Irritating to skin

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment R36/R37/R38 - Irritating to eyes, respiratory system and skin.

The information on this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy.

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.