

Williams (HS) Limited Sage House, Bowden Hey Road Chapel-en-le-frith, High Peak SK23 0QZ

> Tel: 01298 813001 Fax: 01298 813015

Material Safety Data Sheet

Product Name: Home Fragrance Seagrass Room Spray 100ml

Supplier code: C81658

Article create code: 30197002 Barcode: 5054077307321

Issue Date: 21st September 2015

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT USE: Air freshener/Room Fragrance

SUPPLIER ADDRESS: Williams (HS) Limited, Sage House, Bowden Hey Road, Chapel-en-le-frith,

High Peak. SK23 0QZ

INFORMING DEPARTMENT: Technical Department

EMERGENCY CALL: Email: stacey@sagedecor.com **Tel:** +44 1298 813001(Mon-Fri, 08.30 – 17.00)

+44 7734 229960/+44 7969753360 +44 7570 900688 (Out of hours)

SECTION 2. HAZARDS IDENTIFICATION

Classification (EC 1272/2008)

Physical and H225

Chemical Hazards

Human Health H315, H317, H319 Environment H410, H411

Classification (1999/45EEC)

R11 R38 R43

R50/53 R51/53

P264 P273 P302/352 P305/351/338 P333/313 P337/313 P362 P391 P501

The full text for all Phrases and Hazard Statements are displayed in Section 16

Label Elements Danger

Highly Flammable
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
Toxic to aquatic life with long lasting effects



SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

CAS No. Not applicable product is a mixture EINES-No.ELINCS No. Not applicable product is a mixture

Classification

Contains	Conc.	CAS No	EC No	EC 1272/2008	67/548/EEC	
Ethanol	75.00%	64-17-5	200-578-6	H225	R11	F
OTNE	0.29%	54464-57-2	259-174-3	H315, H317, H411	R43, R51/53	Xi, N
Benzyl Salicylate	0.29%	118-58-1	204-262-9	H317, H411	R43, R51/53	Xi, N
Hexyl Salicylate	0.20%	6259-76-3	228-408-6	H315, H317, H319, H410	R38, R43, R50/53	Xi, N
Methyl Cedryl Ketone	0.10%	32388-55-9	251-020-3	H317, H410	R43, R50/53	Xi, N
Citronellol	>0.01%	106-22-9	203-375-0			
Geraniol	>0.01%	106-24-1	203-377-1			
Alpha Iso Methyl Ionone	>0.01%	127-51-5	204-846-3			

REACH All components have been registered.

SECTION 4. FIRST AID MEASURES

Description.

Ingestion: Rinse mouth and drink plenty of water. Do not induce vomiting. Obtain medical advice.

Inhalation: Remove from exposure. If difficulty with breathing obtain medical advice.

Skin contact: Remove from source of contamination. Wash skin with soap or mild detergent and water.

Eye contact: Immediately flood the eye with plenty of water for at least 15 minutes,

holding the eye open. Obtain medical advice.

Symptoms and effects, both acute and delayed.

Ingestion: May cause stomach pain or vomiting. Drowsiness, dizziness or disorientation.

Inhalation: Irritation of nose throat and airway. Vapours may cause headache, fatigue, dizziness and nausea.

Skin contact: Prolonged or repeated contact may cause redness, itching, irritation and eczema /

chapping.

Eye contact: May cause serious eye irritation.

SECTION 5. FIRE FIGHTING MEASURES

Extinguishing media.

Small fire, use CO2, dry chemical powder, water mist.

Large fire, use alcohol resistant foam or water mist. DO NOT USE WATER JET.

Special hazards.

Special exposure hazards : highly flammable liquids.

Vapours readily form ignitable/explosive mixture with air at normal temperatures.

Beware distant ignition as vapour is heavier than air and may travel along the ground.

Fire fighting.

Special protective equipment: self-contained breathing apparatus, eye protection may be required.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions.

Wear appropriate clothing, ventilate area to dispel vapour.

Environmental precautions.

Advise appropriate authority if spillage size warrants (i.e. possibility of contaminating water courses, drains etc...)

Clean up and containment.

Remove ignition sources. Contain with sand/earth. Transfer to suitable container for subsequent disposal (in accordance with local regulations). Wash contaminated area with copious amounts of water.

SECTION 7. HANDLING AND STORAGE

Handling.

Handle in a well ventilated area. Keep containers tightly closed, avoid contact with skin and eves.

Avoid acids, moisture and combustible materials. Static electricity and formation of sparks must be prevented.

Storage.

Area should be dry, well ventilated, away from sources of heat or ignition.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure control.

WEL Ethanol (TWA - 8Hrs): 1000ppm; 1920 mg/m3

Personal protection.

PVC or Rubber gloves Overalls Goggles

Area must be well ventillated.

Static electricity and formation of sparks must be prevented.

DO NOT SMOKE

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear liquid
Odour Characteristic
Density @ 20C 0.9053 g/ml

Vapour density (Ethanol) 1.03

Evaporation rate (Ethanol)

Flash Point

Flammability - Lower (%) Ethanol

Flammability - Upper (%) Ethanol

19

SECTION 10. STABILITY AND REACTIVITY

Reactivity.

Reaction with: Oxidising agents; Strong acids

Stability.

Stable under normal conditions.

Hazardous reactions.

Hazardous combustion products: oxides of carbon.

Conditions to avoid.

Heat, flames and other sources of ignition.

SECTION 11. TOXICOLOGICAL INFORMATION

Low toxicity.

Irritating to eyes and skin

SECTION 12. ECOLOGICAL INFORMATION

Not classified as environmentally hazardous under normal use conditions

Product is biodegradable

Product does not bioaccumulate significantly.

Product is water soluble and may spread in water systems

SECTION 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local/national regulations.

Do not allow into sewer, waterway or ground

SECTION 14. TRANSPORT INFORMATION

UN Number 1266

Shipping Perfumery Products

name

Classification 3

Hazardous 3.2

class

Shipped in Limited quantities: designated as: 3,II (20*Ccc) LTD QTY.

SECTION 15. REGULATORY INFORMATION

Environmental protection act 1990 Hazardous waste regulations 2005 Workplace exposure limits EH40 REACH Health & Safety at work act (as amended) 1974 COSHH 2002 (as amended) CDG 2007

SECTION 16. OTHER INFORMATION

The information on this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy.

Hazard symbol	F	Flammable
Xi		Irritant

N Dangerous to the environment

Hazards	H225	Highly Flammable Liquid and	Vapour
---------	------	-----------------------------	--------

H315 Causes skin irritation

H317 May cause an allergic skin reaction
H319 Causes serious eye irritation

H410 Very toxic to aquatic life with long lasting effects
H411 Toxic to aquatic life with long lasting effects

Risk Phrases R11 Highly Flammable R38 Irritating to skin

R43 May cause sensitisation by skin contact

R50/53 Very toxic to aquatic organisms, may cause long term adverse

effects in the aquatic environment

R51/53 Toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment

Precautionary P264 Wash hands and other contacted skin thoroughly after

Phrases: handling

P273 Avoid release to the environment

P302/352 IF ON SKIN. Wash with plenty of soap and water

P305/351/338 IF IN EYES. Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P333/313 If skin irritation or rash occurs. Get medical advice / attention.
P337/313 If eye irritation persists. Get medical advice / attention.
P362 Take off contaminated clothing and wash before re-use.

P391 Collect spillage.

P501 Dispose of contents / container to approved disposal site, in

accordance with local regulations.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all

ailable information when using product for any particular use and to comply with all Federal, State, ovincial and Local laws and regulations.	