

Section 1 Product Identification

1.1	Product Name: Daily shower spray
1.2	Chemical Name
1.3	Article number and barcode: 30226794 and 817939005354
1.4	
1.5	Product use: Effortlessly maintains the gleam on your clean tiles
1.6	Supplier's Name: ECOVER CO-ORDINATION CENTER
1.7	Supplier's Address: Steenovenstraat 1A, 2390 Malle Belgium
1.8	Emergency Phone: 03451302230
1.9	Other; internal code 3000576

Section 2 Hazard Identification

2.1	Hazard Identification: not dangerous (According to Regulation (EC) n° 1272/2008 (CLP))						
2.2	Routes of entry	Inhalation		Absorption		Ingestion	
2.3	Effects of exposu	re					
	Ingestion:						
	Eyes:						
	Skin:						
	Inhalation:						
2.4	Symptoms of Ove	er exposure					
	Ingestion:						
	Eyes:						
	Skin:						
	Inhalation:						
2.5	Acute Hearth Effe	ects					
	Ingestion:						
	Eyes:						
	Skin:						
	Inhalation:						
2.6	Chronic Health Ef	fects					
2.7	Target organs;						
2.8	Toxicological Properties						
NA= Not Av	vailable ND= Not Deter	mined NE= Not E	stablished NF =	Not Found C= Celling	g Limit		



Section 3 Composition & Ingredient Information

Chemical CAS		CAS RTECs EINECS %	%	Exposure Limits in Air (mg/m2)									
Name(s)	No.	No.	No.		ACG	Н	NOH	SC		OSH	Α		Other
					ppm		ppm			ppm			
					TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	TLV	STEL	IDLH	Classificatio n EC 1272/2008
Ethanol	64-17-5		200-578- 6	1-5									Flam. Liq. 2 (H225) Eye Irrit. 2 (H319)
Lactic Acid	79-33-4		201-196-	1-5									Skin Irrit. 2 (H315) Eye Dam. 1 (H318)

Section 4 First Aid Measures

4.1	Frist Aid:
	Ingestion: Do NOT induce vomiting. Clean mouth with water and drink plenty of water.
	Get medical attention
	Eyes: In the case of contact with eyes, rinse immediately with plenty of water and seek
	medical advice
	Skin: Wash off immediately with plenty of water.
	Inhalation: Remove to fresh air.
4.2	Medical Conditions aggravated by expose:

5. Firefighting Measures

5.1	Flashpoint & method	Flashpoint & method: 60-100°C				
5.2	Auto-ignition Temper	Auto-ignition Temperature:				
5.3	Flammability limits	Flammability limits Lower explosive limit (LEL) Upper explosive limit (UEL)				
5.4		Extinguishing methods: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment				
5.5	Firefighting Procedures: in the event of fire, wear self-contained breathing apparatus. Wear suitable protective clothing and gloves					
Additional information: Fight fire with normal precautions from a reasonable distance						



MATERIAL SAFETY DATA SHEET

Section 6. Accidental release measures

6.1	Spills: Recover usable material in a clean closable container for reuse. Sweep up contaminated material and dispose of as chemical waste. Remove the remainder with water.
6.2	Any other forms of release: Avoid release to the environment.

Section 7. Handling &storage information

7.1	Work & Hygiene practices:
7.2	Storage & handling:
	Keep out of the reach of children.
	Keep container tightly closed in a dry and well-ventilated place.
	Do not store <0°C and >40°C.
7.3	Special precautions:
	Ensure adequate ventilation, especially in confined areas
	Avoid contact with eyes.
	Use personal protection recommended in Section 8
7.4	Additional information:

Section 8. Exposure controls & personal protection

8.1	Ventilation & engineering controls: None under normal use conditions.					
8.2	Respiratory protection					
8.3	Eye protection: Wear safety goggles when clearing acc	Eye protection: Wear safety goggles when clearing accidentally released material.				
8.4	Hand protection: For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.					
8.5	Body protection	HEALTH				
	FLAMMABILITY					
	PHYSCIAL HAZARDS					
	SPECIAL EQUIPMEN					



MATERIAL SAFETY DATA SHEET

Section 9. Physical & chemical properties

9.1	Density	1.009 kg/l
9.2	Boiling point	
9.3	Melting point	
9.4	Evaporation rate	
9.5	Vapour pressure	

9.6	Molecular weight	
9.7	Appearance & colour	Liquid; clear
9.8	Odour	fragranced
9.9	Solubility	
9.10	рН	4
9.11	Viscosity	
9.12	Other information	VOC (%): 4.04

Section 10. Stability & reactivity

10.1	Stability: Stable under normal conditions.	
10.2	Hazardous Decomposition products: None under normal use conditions.	
10.3	Hazardous polymerization	
10.4	0.4 Conditions to avoid: See section 7 for more information	
10.5	Incompatible substances: Do not mix with other cleaning products.	

Section 11. toxicological information

11.1	Toxicity data:	Toxicity data:				
	Mixture:					
11.2	Acute toxicity: Product does not present an acute toxicity hazard based on known or					
	supplied information	upplied information				
11.3	Chronic toxicity					
11.4	Suspected toxicity					
11.5	Reproductive toxicity: No known e	Reproductive toxicity: No known effect.				
	Mutagenicity	No known effect.				
	Embryo toxicity	No known effect.				
	Teratogenicity	No known effect.				
	Reproductive toxicity	No known effect.				
11.6	Irritancy of product: No known effect.					
11.7	Biological exposure indices					
11.8	Physician recommendations					
11.9	Additional information					



MATERIAL SAFETY DATA SHEET

Section 12. Ecological information

12.1	Environmental stability
	This product doesn't contain any persistent substances.
	The surface active components used in this product fulfill all of the biodegradability
	requirements of EC regulation 648/2004 (Detergents Regulation)
	The surface active components used in this product are anaerobically biodegradable.

12.2	Effect on plants & animals
12.3	Effect on aquatic life

Section 13. Disposal consideration

13.1	Waste Disposal: Disposal should be in accordance with applicable regional, national and local laws and regulations
13.2	Special Considerations

Section 14. Transportation information

The basic description (ID number, proper shipping name, hazard class & division, packing group) is shown for each mode of transport. Additional descriptive information may be required by 49 CFR. IATA/ICAO, IMDG, TDGR, SCT and ADGR 14.1 49 CFR (GND) IATA (AIR) 14.2 IMDG (OCN) 14.3 TDGR (Canadian GND) 14.4 ADR/RID (EU) 14.5 Mexico (SCT) 14.6 ADGR (AUS) 14.7

Section 15. regulatory information

15.1	U.S EPA SARA reporting requirements
15.2	U.S EPA SARA Threshold planning quantity
15.3	U.S EPA TSCA Inventory Status
15.4	U.S EPA CERCLA reportable quantity (RQ)
15.5	Other U.S Federal Requirements
15.6	Other regulations
15.7	U.S State regulatory Information
15.8	67/548/EEC (European Union) and Australia NOHSC:2011 (2003) requirements



MATERIAL SAFETY DATA SHEET

Section 16. Other information

16.1	Other information:
	H225 - Highly flammable liquid and vapor
	H319 - Causes serious eye irritation

	H315 - Causes skin irritation
	H318 - Causes serious eye damage
	H317 - May cause an allergic skin reaction
	H411 - Toxic to aquatic life with long lasting effects
16.2	Terms & definitions: Please refer to last page.
16.3	Disclaimers: The information provided in this Safety Data Sheet is correct to the best of
	our knowledge, information and belief at the date of its publication. The information
	given is designed only as a guidance for safe handling, use, processing, storage,
	transportation, disposal and release and is not to be considered a warranty or quality
	specification. The information relates only to the specific material designated and may
	not be valid for such material used in combination with any other materials or in any
	process, unless specified in the text.
16.4	Prepared for:
16.5	Company full address:
	ECOVER CO-ORDINATION CENTER
	Steenovenstraat 1A
	2390 Malle Belgium



Definitions of terms


Definitions of terms						
		tion and acronyms appear on a MSDS. Some o	of th	ese th	at are commonly used include	the following:
General information						
CAS No).	Chemical abstract service number	er			
Exposure limits in the air						
ACGIH		American conference on governi	ne	ntal i	industrial hygienists	
TLV		Threshold limit value				
OSHA		U.S occupational safety and heal	th	admi	inistration	
PEL		Permissible exposure limit				
IDLH		Immediately dangerous to life ar	nd	healt	h	
Frist A	Aid measui	res				
CPR		Cardiopulmonary resuscitation-	me	thod	in which a person who	se heart has
		stopped receives manual chest c	on	npres	sions and breathing to	circulate blood
		and provide oxygen to the body.				
Hazar	dous mate	erials identification system	s:	HM	IISH	
		y & reactivity ratings				
0	Minimal Ha	zard				Hazard rating
1	Slight Hazar	rd		HEA	LTH	
2	Moderate F	Hazard		FLAI	MMABILITY	
3	Severe Haza	ard		PHY	SICAL HAZARDS	
4	Extreme Ha	Personal Protection				
Person	al Protection	Ratings:				
A	S			G	& 1 %	6
В	S .			Н		*
С	S .	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		ı	8 1 9	6
D	4	r 🖭		J		*
E	\$			K		L
F	S .			X	Consult your superviso special handling directi	



Definitions of terms

A large number of abbreviation and acronyms appear on a MSDS. Some of these that are commonly used include the following:

Personal Protection ratings:



Flammability limits in air		
Auto ignition	Minimum temperature required to initiate combustion in air with no other source	
temperature	of ignition.	
LEL	Lower explosive limit- lowest percent of vapour in air, by volume that will explode	
	or ignite in the presence of an ignition source.	
UEL	Upper explosive limit- highest percent of vapour in air, by volume, that will	
	explode or ignite in the presence of an ignition source.	

Other Standard abbreviations:		
NA	Not available	
NR	No results	
NE	Not established	
NF	Not found	
ND	Not determined	
ML	Maximum limit	
SCBA	Self- contained breathing apparatus	



Definitions of terms

A large number of abbreviation and acronyms appear on a MSDS. Some of these that are commonly used include the following:

National fire protection association: NFPA **Hazard ratings** Minimal Hazard Slight Hazard Moderate Hazard 3 Severe Hazard **FLAMMABILITY** REACTIVITY 4 Extreme Hazard ACD Acidic Alkaline ALK COR Corrosive W Use no water ОХ Oxidizer SPECIAL HEALTH **PRECAUTIONS**

Toxicological information		
LD 50	Lethal dose (solids & liquids) which kills 50% of the exposed animals	
LC 50	Lethal concentration (gases) which kills 50% of the exposed animals	
ppm	Concentration expressed in parts of material per million parts	
TD 10	Lowest dose to cause a symptom	
TCL ₀	Lowest concentration to cause a symptom	
TD10,	Lowest dose (or Concentration) to cause lethal or toxic effects	
LD10 &		
LD ₀ or		
TC, TC₀,		
LC10, &		
LC ₀		
IARC	International agency for research on cancer	
NTP	National toxicology program	
RTECS	Registry of toxic effect chemical substances	
BCF	Bio concentration factor	
TLm	Median threshold limit	
Log Kow	Coefficient of oil/water distribution	
or Log Koc		




Definitions of terms

A large number of abbreviation and acronyms appear on a MSDS. Some of these that are commonly used include the following:

Regulatory information		
CPR	Canada's controlled product regulations	
DOT	U.S. Department of transport	
EPA	U.S Environmental protection agency	
EU	European Union (European union directive 67/548/EEC)	
DSL	Canadian domestic substance list	
MAK	Mandat und die arbeitsweise der commission (work ares commission)	
NDSL	Canadian non- domestic substance list	
NOHSC	National occupational health & safety code (Australia)	
PSL	Canadian Priority substances list	
TC	Transport Canada	
TSCA	U.S toxic substance control act	
WHMIS	Canadian workplace hazardous material information system	

EC Information



WHMIS Information

