

Williams (HS) Limited Sage House, Bowden Hey Road Chapel-en-le-frith, High Peak SK23 OQZ Tel: 01298 813001

Fax: 01298 813001

Material Safety Data Sheet

Section 1: Supplier and product identification

PRODUCT USE: Room spray

SUPPLIER ADDRESS: Williams (HS) Limited, Sage House, Bowden Hey Road,

Chapel-en-le-frith, High Peak. SK23 0QZ

INFORMING DEPARTMENT: Technical Department

EMERGENCY CALL: Email: stacey@sagedecor.com **Tel:** +44 1298 813001(Mon-Fri, 08.30 – 17.00) +44 7734 229960/+44 7969753360 +44 7570 900688 (Out of

hours)

Product Name: 100ml Roomspray Red Berry

Supplier code: C81502PR

Article create code: 30168036 Barcode: 5054077122207

Issue Date: December 2014

Section 2: HAZARD IDENTIFICATION

Classification (EC 1272/2008)

Physical and Chemical Hazards H225

Human Health H317

Environment H411

Classification (1999/45EEC)

R11 R43 R51/53

S2 S24/25 **S7** 528

The full text for all R phrases, S phrases and Hazard Statements are displayed in Section 16

This product is:

Highly Flammable May cause an allergic skin reaction

Label Elements





Section 3: Composition: Information on Ingredients

CAS No.

EINES-No.ELINCS No.

Not applicable product is a mixture Not applicable product is a mixture

Contains

Conc.

CAS No

Classification EC No EC 1272/2008

Ethanol 75.00% Ethylmethylphenylglycidate 0.45%

64-17-5 77-83-8 200-578-6 201-061-8

H225 H317, H411

67/548/EEC

R43, R51/53

\$2, \$7, \$16 \$2, \$24/25, \$28

F Xi

REACH

All components have been registered.

Section 4: FIRST AID MEASURES

Description.

Ingestion: Rinse mouth and drink plenty of water. Do not induce vomiting. Obtain medical advice.

Inhalation : Remove from exposure. If difficulty with breathing obtain medical advice.

Skin contact: Remove from source of contamination. Wash skin with soap or mild detergent and water.

Eye contact : Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical advice if soreness/irritation persists.

Symptoms and effects, both acute and delayed.

Ingestion: May cause stomach pain or vomitting. Drowsiness, dizziness or disorientation.

Inalation: Irritation of nose throat and airway. Vapours may cause headache, fatigue, dizziness and nausea. Skin contact: Prolonged or repeated contact may cause redness, itching, irritation and eczema / chapping.

Eye contact: May cause severe irritation to the eyes and blurred vision.

Section 5: FIRE-FIGHTING MEASURES

Extinguishing media.

Small fire, use CO2, dry chemical powder, water mist.

Large fire, use alcohol resistant foam or water mist, DO NOT USE WATER JET,

Special hazards.

Special exposure hazards: highly flammable liquids...

Vapours readily form ignitable/explosive mixture with air at normal temperatures.

Beware distant ignition as vapour is heavier than air and may travel along the ground.

Fire fighting.

Special protective equipment : self-contained breathing apparatus, eye protection may be | required,

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions.

Wear appropriate clothing, ventilate area to dispel vapour.

Environmental precautions.

Advise appropriate authority if spillage size warrants

(i.e. possibility of contaminating water courses, drains etc...)

Clean up and containment.

Remove ignition sources. Contain with sand/earth. Transfer to suitable container for subsequent disposal (in accordance with local regulations). Wash contaminated area with copious amounts of water.

Section 7: HANDLING & STORAGE Handling.

Handle in a well ventilated area. Keep containers tightly closed, avoid contact with skin and eyes

Avoid acids, moisture and combustible materials. Static electricity and formation of sparks must be prevented

Storage.

Area should be dry, well ventilated, away from sources of heat or ignition.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure control.

WEL Ethanol (TWA - 8Hrs): 1000ppm; 1920 mg/mB

Personal protection.

PVC or Rubber gloves

Overalis Goggles

Area must be well ventillated.

Static electricity and formation of sparks must be prevented.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Clear liquid Odour Characteristic Density @ 20C 0,9053 g/ml Vapour density (Ethanol) 1.03 Evaporation rate (Ethanol) 3.4 BuAc=1 Flash Point 22°C Flammability - Lower (%) Ethanol Flammability - Upper (%) Ethanol 19

Section 10: STABILITY AND REACTIVITY

Reactivity. Stability.

Reaction with: Oxidising agents; Strong acids

Hazardous reactions.

Stable under normal conditions.

Hazardous combustion products : oxides of carbon.

Conditions to avoid.

Heat, flames and other sources of ignition

Section 11:TOXICOLOGICAL INFORMATION

Irritating to eyes

Section 12: ECOLOGICAL INFORAMTION

Not classified as environmentally hazardous under normal use conditions

Product is biodegradeable

Product does not bioaccumulate significantly.

Product is water soluble and may spread in water systems

Section 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local/national regulations. Do not allow into sewer, waterway or ground

Section 14: TRANSPORT INFORMATION

UN Number

1266

Shipping name

Perfumery Products

Hazardous class

Shipped in Limited quantities: designated as: 3,II (20°Ccc) LTD QTY.

Section 15: REGULATORY INFORMATION

Environmental protection act 1990 Hazardous waste regulations 2005 Workplace exposure limits EH40

REACH

Health & Safety at work act (as amended) 1974 COSHH 2002 (as amended)

CDG 2007

Section 16: OTHER INFOMATION:

Hazard symbol F

Flammable

Wi

Irritant

Hazards H225

Highly Flammable Liquid and Vapour May cause an allergic skin reaction

H317 H411

Toxic to aquatic life with long lasting effects

Risk Phrases R11

Highly Flammable

R43

May cause sensitisation by skin contact

R51/53

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety Phrases: 52

Keep out of the reach of children

S7 S16 Keep container tightly closed

S24/25

Keep away from sources of ignition - No smoking

324/23

Avoid contact with skin and eyes

After contact with skin, wash immediately with plenty of soap and water

The safety data attached has been prepared in order to assist users to perform their own assessment of the requirements for safe handling under the Control of Substances Hazardous to Health Regulations and similar legislation.

The information provided in this MSDS is correct to the best of our knowledge, information and belief at the date of publication, and is, in our opinion consistent with the state of general scientific and technical knowledge at that date, but we can not accept liability for its loss, injury or damage which may result from the use.

We must point out that it is the responsibility of any intermediate supplier to ensure that the information contained in this MSDS is passed to the ultimate user.

Other Information: DISCLAIMER:

The information in this material safety data sheet (MSDS) was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage, and disposal of this product are beyond our control, it is the responsibility of the user to determine safe conditions for use of this product and to assume liability for loss, damage, or expense arising out of the improper use of this product. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS. Various government agencies (e.g DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in the MSDS. The user must review these regulations to ensure full compliance.