



Williams (HS) Limited
Sage House, Bowden Hey Road
Chapel-en-le-frith, High Peak
SK23 0QZ
Tel: 01298 813001
Fax: 01298 813015

Material Safety Data Sheet

Product Name: Pot pourri Citrus fizz

Supplier code: C81512PR

Article create code: 30168056

Issue Date: February 2015

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT USE: Air freshener pot pourri

SUPPLIER ADDRESS: Williams (HS) Limited, Sage House, *Bowden Hey Road*, Chapel-en-le-frith, High Peak. SK23 0QZ

INFORMING DEPARTMENT: Technical Department

EMERGENCY CALL: Email: stacey@sagedecor.com **Tel:** +44 1298 813001 (Mo-fr, 08.30 - 17.00) +44 7734 229960/+44 7969753360 +44 7570 900688 (Out of hours)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger:

Hazardous to the Aquatic Environment - Long-term Hazard Category 3

H412, Harmful to aquatic life with long lasting effects.

Classification under Directive 1999/45/EC

Hazard symbols: None

R52/53, Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Risk phrases:

2.2 Label elements

Signal word: None

Hazard statements: H412, Harmful to aquatic life with long lasting effects.

Supplemental EUH208, Contains Citral, d-Limonene. May produce an allergic reaction.

Information:

Precautionary

statements:

P273, Avoid release to the environment.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms: None

Other hazards: None

SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008
Citral	5392-40-5	226-394-6		0.60%	Xi ; R38-R43	SCI 2-ED1 2-SS 1B;H315-H317-H319,-
d-Limonene	5989-27-5	227-813-5		0.60%	Xn-N ; R10-R38-R43-R65-R60/63	FL 3-SC1 2-SS 1B-AH 1-EH A1-EH C1;H226-H304-H315-H317-H410,-
3,7-Dimethyl-1,3,6-octatriene	13877-91-3	237-641-2		0.15%	Xn ; R10-R65	FL 3-AH 1;H226-H304,-

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Dipropylene glycol monomethyl ether	34590-94-8	252-104-2	0.36%
Propylene glycol	57-55-6	200-338-0	0.36%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.

Skin exposure:

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

None expected, see Section 4.1 for further information.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours.

Contain spillage

immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as

required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate

ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s):

INDOOR DECORATION AND FRAGRANCING: Use in accordance with good manufacturing and industrial hygiene practices.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description			Reference
Dipropylene glycol monomethyl ether	34590-94-8	252-104-2	Long-term exposure limit (8-hour TWA reference period)	50	308	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	-	-	UK EH40 Oct 2007
Propylene glycol	57-55-6	200-338-0	Long-term exposure limit (8-hour TWA reference period)	150	474	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	-	-	UK EH40 Oct 2007

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: Dried botanicals

Odour: Characteristic odour

pH: Not determined

Initial boiling point / range: Not determined

Flash point: 61 °C

Vapour pressure: Not determined

Relative density: Not determined

Solubility(ies): Not determined Specific Gravity: 0.98

9.2 Other information: None available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Section 11. Toxicological information

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the

methods outlined in Regulation (EC) No 1272/2008 (CLP).

This material does not meet the criteria for classification for health hazards under Regulation (EC) No 1272/2008.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: Not Applicable

Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Not Applicable

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available

Inhalation Route: Not Available

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty

containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

14.1 UN number: Not classified

14.2 UN Proper Shipping Name: Not classified

14.3 Transport hazard class(es): Not classified

Sub Risk: Not classified

14.4. Packing Group: Not classified

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

SECTION 16. OTHER INFORMATION

Concentration % Limits: EH C3=41.67%

Total Fractional Values: EH C3=2.40

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation Meaning

AH 1 Aspiration Hazard Category 1

EDI 2 Eye Damage / Irritation Category 2

EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1

EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1

FL 3 Flammable Liquid, Hazard Category 3

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating and lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapour or dust.

P264 Wash hands and other contacted skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/eye protection/face protection.

P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302/352 IF ON SKIN: Wash with plenty of soap and water.

P303/361/353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P331 Do not induce vomiting.

P333/313 If skin irritation or rash occurs: Get medical advice/attention.

P337/313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391 Collect spillage.

P403/235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to approved disposal site, in accordance with local regulations.

SCI 2 Skin Corrosion / Irritation Category 2

SS 1B Sensitization - Skin Category 1B

The information on this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.