

Page: 1

Compilation date: 22/07/2014

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: DYLON MACHINE FABRIC DYE DARK GREEN 350G

Product code: MFD 09

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Domestic Fabric Dye. 350 g.

# 1.3. Details of the supplier of the safety data sheet

Company name: SPOTLESS PUNCH LTD

Betchworth House 57 - 65 Station Road

Redhill Surrey RH1 1DL UK

Tel: +44 (0)1737 781 300 Fax: +44 (0)1737 769 607

Email: consumer@spotlesspunch.co.uk

## 1.4. Emergency telephone number

Emergency tel: +44 (0)1737 781 300

(office hours only)

#### Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Skin Sens. 1: H317

Classification under CHIP: Xi: R36; Sens.: R43

Most important adverse effects: May cause an allergic skin reaction. Causes serious eye irritation.

# 2.2. Label elements

Label elements under CLP:

Hazard statements: H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark



Precautionary statements: P101: If medical advice is needed, have product container or label at hand.

## DYLON MACHINE FABRIC DYE DARK GREEN 350G

Page: 2

P102: Keep out of reach of children.

P280: Wear protective gloves.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+313: If skin irritation or rash occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

#### SODIUM CARBONATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent		
207-838-8	497-19-8	-	Eye Irrit. 2: H319	50-75%		
C.I. REACTIVE YELLOW 27						
278-108-4	75199-00-7	-	Skin Sens. 1: H317	1-5%		
C.I. REACTIVE BLUE 225						
401-560-2	108624-00-6	-	Skin Sens. 1: H317	1-5%		

## Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact. An itchy rash may occur at the

site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## DYLON MACHINE FABRIC DYE DARK GREEN 350G

Page: 3

## 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Do not create dust.

#### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

## 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of dust in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Workplace exposure limits: No data available.

## DYLON MACHINE FABRIC DYE DARK GREEN 350G

Page: 4

#### 8.1. DNEL/PNEC Values

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

Hand protection: Protective gloves. Gloves (alkali-resistant). Nitrile gloves. Rubber gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Powder

Colour: Pale green

Odour: Barely perceptible odour

Solubility in water: Highly soluble

**pH:** 11 (10g/L)

#### 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

# 10.4. Conditions to avoid

Conditions to avoid: Heat.

# 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: Contact with acids liberates toxic gas. In combustion emits toxic fumes of carbon

dioxide.

## DYLON MACHINE FABRIC DYE DARK GREEN 350G

Page: 5

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

## Hazardous ingredients:

#### **SODIUM CARBONATE**

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

#### **C.I. REACTIVE YELLOW 27**

mg/kg	>5000	LD50	RAT	ORAL
mg/kg	>5000	LD50	RAT	ORAL

#### **C.I. REACTIVE BLUE 225**

ORL	RAT	LDEO	> 5000	ma/ka
OKL	INAT	LD30	> 5000	IIIg/kg

# Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact. An itchy rash may occur at the

site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

## 12.1. Toxicity

#### **Hazardous ingredients:**

#### **SODIUM CARBONATE**

## DYLON MACHINE FABRIC DYE DARK GREEN 350G

Page: 6

#### **C.I. REACTIVE BLUE 225**

-	EC0	> 100	mg/l
Brachydanio rerio	96H LC0	100	mg/l

## 12.2. Persistence and degradability

Persistence and degradability: No data available.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

#### 12.4. Mobility in soil

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Disposal of packaging:** Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

R36: Irritating to eyes.

R43: May cause sensitisation by skin contact.

## DYLON MACHINE FABRIC DYE DARK GREEN 350G

Page: 7

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.