

Page: 1

Compilation date: 22/07/2014

# Section 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name: DYLON MACHINE FABRIC DYE OCEAN BLUE 350G Product code: MFD 26 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: Domestic Fabric Dye. 350 g. 1.3. Details of the supplier of the safety data sheet Company name: SPOTLESS PUNCH LTD **Betchworth House** 57 - 65 Station Road Redhill Surrey RH1 1DL UK Tel: +44 (0)1737 781 300 Fax: +44 (0)1737 769 607 Email: consumer@spotlesspunch.co.uk 1.4. Emergency telephone number Emergency tel: +44 (0)1737 781 300 (office hours only) Section 2: Hazards identification 2.1. Classification of the substance or mixture Classification under CLP: Eye Irrit. 2: H319 Classification under CHIP: Xi: R36 Most important adverse effects: Causes serious eye irritation. 2.2. Label elements Label elements under CLP: Hazard statements: H319: Causes serious eye irritation. Signal words: Warning Hazard pictograms: GHS07: Exclamation mark Precautionary statements: P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children.

### DYLON MACHINE FABRIC DYE OCEAN BLUE 350G

Page: 2

P280: Wear protective gloves.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT substance.

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

### Hazardous ingredients:

#### SODIUM CARBONATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	>75%

### Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion: Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Consult a doctor.
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

Eye contact: There may be irritation and pain. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

#### Section 5: Fire-fighting measures

### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide.

### DYLON MACHINE FABRIC DYE OCEAN BLUE 350G

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Wash the spillage site with large amounts of water.

### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

#### Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Respiratory protection not required.Hand protection:Protective gloves.Eye protection:Safety glasses. Ensure eye bath is to hand.

### DYLON MACHINE FABRIC DYE OCEAN BLUE 350G

Page: 4

#### Skin protection: Protective clothing.

### Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Powder

**Colour:** Pale blue

### Solubility in water: Highly soluble

**pH:** 11 (10g/l)

### 9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

Haz. decomp. products: Contact with water liberates toxic gas. In combustion emits toxic fumes of carbon

dioxide.

### Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Hazardous ingredients:

#### SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

### DYLON MACHINE FABRIC DYE OCEAN BLUE 350G

**Page:** 5

L Heat		Deute	Desia		
Effect		Route	Basis		
Irritation		OPT	Hazardous: calculated		
Symptoms / routes of expos	ure				
Skin contact:	There may	y be mild irritation at the	site of contact.		
Eye contact:	There may be irritation and pain. The eyes may water profusely.				
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach				
	pain may occur.				
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.				
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.				
ection 12: Ecological inform	mation				
12.1. Toxicity					
Hazardous ingredients:					
SODIUM CARBONATE					
-		-			
12.2. Persistence and degrad	lability				
ersistence and degradability:	Biodegrad	lable.			
12.3. Bioaccumulative poten	tial				
Bioaccumulative potential:	No bioacc	umulation potential.			
12.4. Mobility in soil					
12.5. Results of PBT and vPv	/B assessr	nent			
		uct is not identified as a F	PRT substance		
12.6. Other adverse effects					
	NI- P. P. P.				
Other adverse effects:		ecotoxicity.			
ection 13: Disposal consid	erations				
13.1. Waste treatment metho	ods				
Disposal operations:	Transfer t	o a suitable container an	d arrange for collection by specialised disposal		
	company.				
Disposal of packaging:	Dispose o	f as normal industrial wa	ste.		
NB:	The user's	attention is drawn to the	e possible existence of regional or national		
	regulation	s regarding disposal.			
Section 14: Transport information					

Transport class: This product does not require a classification for transport.

### DYLON MACHINE FABRIC DYE OCEAN BLUE 350G

Section 15: Regulatory information							
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture							
15.2. Chemical Safety Asses	15.2. Chemical Safety Assessment						
Section 16: Other information							
Other information							
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No						
	453/2010.						
	* indicates text in the SDS which has changed since the last revision.						
Phrases used in s.2 and 3:	H319: Causes serious eye irritation.						
	R36: Irritating to eyes.						
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive						
	and shall be used only as a guide. This company shall not be held liable for any						
	damage resulting from handling or from contact with the above product.						