

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** DYLON MACHINE FABRIC DYE JEANS BLUE 350G

**Product code:** MFD 41

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** Domestic Fabric Dye. 350 g.

**1.3. Details of the supplier of the safety data sheet**

**Company name:** SPOTLESS PUNCH LTD

Betchworth House  
57 - 65 Station Road  
Redhill  
Surrey  
RH1 1DL  
UK

**Tel:** +44 (0)1737 781 300

**Fax:** +44 (0)1737 769 607

**Email:** [consumer@spotlesspunch.co.uk](mailto:consumer@spotlesspunch.co.uk)

**1.4. Emergency telephone number**

**Emergency tel:** +44 (0)1737 781 300  
(office hours only)

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Skin Sens. 1: H317; Eye Irrit. 2: H319

**Classification under CHIP:** Xi: R36; Sens.: R43

**Most important adverse effects:** May cause an allergic skin reaction. Causes serious eye irritation.

**2.2. Label elements**

**Label elements under CLP:**

**Hazard statements:** H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

**Signal words:** Warning

**Hazard pictograms:** GHS07: Exclamation mark



**Precautionary statements:** P101: If medical advice is needed, have product container or label at hand.

# SAFETY DATA SHEET

DYLON MACHINE FABRIC DYE JEANS BLUE 350G

Page: 2

P102: Keep out of reach of children.

P280: Wear protective gloves.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+313: If skin irritation or rash occurs: Get medical advice/attention.

P337+313: If eye irritation persists: Get medical advice/attention.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

##### SODIUM CARBONATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	25-50%

##### C.I. REACTIVE BLUE 225

401-560-2	108624-00-6	-	Skin Sens. 1: H317	1-5%
-----------	-------------	---	--------------------	------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

[cont...]

# SAFETY DATA SHEET

DYLON MACHINE FABRIC DYE JEANS BLUE 350G

Page: 3

## 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide.

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Do not create dust.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.  
Avoid the formation or spread of dust in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** No data available.

[cont...]

# SAFETY DATA SHEET

DYLON MACHINE FABRIC DYE JEANS BLUE 350G

Page: 4

## 8.1. DNEL/PNEC Values

**DNEL / PNEC** No data available.

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Nitrile gloves. Protective gloves. Gloves (alkali-resistant). Rubber gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Powder

**Colour:** Pale blue

**Solubility in water:** Highly soluble

**pH:** 11 (10g/L)

### 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide. Contact with acids liberates toxic gas.

## Section 11: Toxicological information

[cont...]

# SAFETY DATA SHEET

DYLON MACHINE FABRIC DYE JEANS BLUE 350G

Page: 5

## 11.1. Information on toxicological effects

**Hazardous ingredients:**

### SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

### C.I. REACTIVE BLUE 225

ORL	RAT	LD50	> 5000	mg/kg
-----	-----	------	--------	-------

**Relevant effects for mixture:**

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated
Sensitisation	DRM	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

**Hazardous ingredients:**

### SODIUM CARBONATE

-	-	-	-
---	---	---	---

### C.I. REACTIVE BLUE 225

-	EC0	> 100	mg/l
Brachydanio rerio	96H LC0	100	mg/l

### 12.2. Persistence and degradability

**Persistence and degradability:** No data available.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential:** No bioaccumulation potential.

[cont...]

# SAFETY DATA SHEET

DYLON MACHINE FABRIC DYE JEANS BLUE 350G

Page: 6

## 12.4. Mobility in soil

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT substance.

## 12.6. Other adverse effects

**Other adverse effects:** Negligible ecotoxicity.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Disposal of packaging:** Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and 3:** H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

R36: Irritating to eyes.

R43: May cause sensitisation by skin contact.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.