

Williams (HS) Limited Sage House, Bowden Hey Road Chapel-en-le-frith, High Peak SK23 0QZ Tel: 01298 813001 Fax: 01298 813015

Material Safety Data Sheet

Product Name: Home Fragrance roomspray Coconut Supplier code: C81565PR Article create code: 30179604 Barcode: 5054077191470 Issue Date: May 2015

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT USE: Room spray SUPPLIER ADDRESS: Williams (HS) Limited, Sage House, Bowden Hey Road, Chapel-en-le-frith, High Peak. SK23 0QZ INFORMING DEPARTMENT: Technical Department EMERGENCY CALL: Email: stacey@sagedecor.com Tel: +44 1298 813001(Mo-fr, 08.30 - 17.00) +44 7734 229960/+44 7969753360 +44 7570 900688 (Out of hours)

SECTION 2. HAZARDS IDENTIFICATION

Classification (EC 1272/2008)			
Physical and Chemical Hazards		H225	
Human Health		H315, H317	
Environment		H410, H411, H412	
P210	P233		P241
P243	P273		P280
Classification (1999/45EEC)			
R11	R36/38		R43
R50/53	R51/53		R52/53
S2	S7		S16
S24/25	S26		S37/39
S60			

The full text for all phrases and Hazard Statements are displayed in Section 16
Warning
Causes skin irritation
Highly Flammable

May cause an allergic skin reaction Toxic with long term effects in the aquatic environment

Label



SECTION 3.COMPOSITION/INFORMATION ON INGREDIENTS

CAS No. EINES-No.ELINCS No. Not applicable product is a mixture Not applicable product is a mixture

Classification						
Conc.	CAS No	E	C No	EC 1272/20	008 67/5	48/EEC
Ethanol	75.00%	64-17-5	200-578-6	H225	R11	F
ННСВ	0.1% - 0.3%	1222-05-5	214-946-9	H410	R50/53	N
OTNE	0.1% - 0.3%	54464-57-2	259-174-3	H315, H317, H410	R38, R43, R51/53	Xi,N
Hexyl Cinnamal	0.1% - 0.3%	101-86-0	202-983-3	H317, H411	R38, R43, R50/53	Xi,N
Hydroxyisoh exyl-3- cyclohexene Carboxaldeh yde	<0.1%	31906-04-4	250-863-4	H317, H412	R43, R52/53	Xi
Alpha Iso Methyl Ionone REACH	<0.1%	127-51-5	204-846-3 All cor	H315, H317, H411 nponents have l	R36/38, R43, R51/53 Deen registered.	Xi,N
				•	5	

SECTION 4. FIRST AID MEASURES

Description.

Ingestion : Rinse mouth and drink plenty of water. Do not induce vomiting. Obtain medical advice.

Inhalation : Remove from exposure. If difficulty with breathing obtain medical advice.

Skin contact : Remove from source of contamination. Wash skin with soap or mild detergent and water.

Eye contact : Immediately flood the eye with plenty of water for at least 15 minutes,

holding the eye open. Obtain medical advice if soreness/irritation persists. Symptoms and effects, both acute and delayed.

Ingestion : May cause stomach pain or vomitting. Drowsiness, dizziness or disorientation.

Inalation : Irritation of nose throat and airway. Vapours may cause headache, fatigue, dizziness and nausea.

Skin contact : Prolonged or repeated contact may cause redness, itching, irritation and eczema / chapping.

Eye contact : May cause severe irritation to the eyes and blurred vision.

SECTION 5. FIRE FIGHTING MEASURES

Extinguishing media.

Small fire, use CO2, dry chemical powder, water mist. Large fire, use alcohol resistant foam or water mist. DO NOT USE WATER JET. **Special hazards.** Special exposure hazards : highly flammable liquids. Vapours readily form ignitable/explosive mixture with air at normal temperatures. Beware distant ignition as vapour is heavier than air and may travel along the ground. **Fire fighting.**

Special protective equipment : self-contained breathing apparatus, eye protection may be required.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions.

Wear appropriate clothing, ventilate area to dispel vapour. **Environmental precautions.** Advise appropriate authority if spillage size warrants (i.e. possibility of contaminating water courses, drains etc...) **Clean up and containment.** Remove ignition sources. Contain with sand/earth. Transfer to suitable container for subsequent disposal (in accordance with local regulations). Wash contaminated area with copious amounts of water.

SECTION 7. HANDLING AND STORAGE Handling.

Handle in a well ventilated area. Keep containers tightly closed, avoid contact with skin and eyes.

Avoid acids, moisture and combustible materials. Static electricity and formation of sparks must be prevented.

Storage.

Area should be dry, well ventilated, away from sources of heat or ignition.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure control.

WEL Ethanol (TWA - 8Hrs): 1000ppm; 1920 mg/m³ **Personal protection.** PVC or Rubber gloves Overalls Goggles Area must be well ventillated. Static electricity and formation of sparks must be prevented. DO NOT SMOKE

SECTION 9. PHYSICA	L AND CHEMICAL PROPERTIES		
Appearance	arance Clear liquid		
Odour	Characteristic		
Density @ 20C	0.9053 g/ml		
Vapour density	1.03		
(Ethanol)			
Evaporation rate	3.4 BuAc=1		
(Ethanol)			
Flash Point	18°C		
Flammability - Lower	3.5		
(%) Ethanol			
Flammability - Upper	19		
(%) Ethanol			

SECTION 10. STABILITY AND REACTIVITY Reactivity. Reaction with: Oxidising agents; Strong acids Stability.
Stable under normal conditions.
Hazardous reactions.
Hazardous combustion products : oxides of carbon.
Conditions to avoid.
Heat, flames and other sources of ignition.

SECTION 11. TOXICOLOGICAL INFORMATION

Low toxicity. May cause an allergic skin reaction

SECTION 12. ECOLOGICAL INFORMATION

Not classified as environmentally hazardous under normal use conditions Product is biodegradeable Product does not bioaccumulate significantly. Product is water soluble and may spread in water systems

SECTION 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with local/national regulations. Do not allow into sewer, waterway or ground

SECTION 14. TRANSPORT INFORMATIONUN Number1266Shipping namePerfumery ProductsClassification3Hazardous class3.2Shipped in Limited quantities: designated as:3,II (20*Ccc) LTD QTY.

SECTION 15. REGULATORY INFORMATION Environmental protection act 1990 Hazardous waste regulations 2005 Workplace exposure limits EH40 REACH Health & Safety at work act (as amended) 1974 COSHH 2002 (as amended) CDG 2007

SECTION 16. OTHER INFORMATION Hazard symbol F XI Irritant Dangerous to

Flammable Irritant Dangerous to the environment

Hazards	H225	Highly Flammable Liquid and Vapour
H315		Causes skin irritation
H317		May cause an allergic skin reaction
H410		Very Toxic to aquatic life with long lasting effects
H411		Toxic to aquatic life with long lasting effects
H412		Harmful to aquatic life with long lasting effects
Precautionary Statements	P210	Keep away from heat/sparks/open
		flames/hot surfaces No smoking
P233		Keep container tightly closed
P241		Use explosion-proof electrical/ventilating/lighting equipment.
P243		Take precautionary measures against static discharge
P273		Avoid release to the environment.
P280		Wear protective gloves/eye protection/face protection.
Risk Phrases	R11	Highly Flammable
R36/38		Irritating to the eyes and skin
R43		May cause sensitisation by skin contact
R50		Very Toxic to aquatic organisms
R51		Toxic to aquatic organisms
R52		Harmful to aquatic organisms
R53		May cause long term effects in the aquatic environment
Safety Phrases:	S2	Keep out of the reach of children
S7		Keep container tightly closed
S16		Keep away from sources of ignition - No smoking
S24/25		Avoid contact with skin and eyes
S26		Incase of contact with eyes, rinse immediately with plenty of
		water and seek medical advice
\$37/39		Wear suitable gloves and eye / face protection
S60		This material and its container must be disposed of as
		hazardous waste

The information on this MSDS was obtained from current and reputable sources. However, the data is provided without any warranty, express or implied, regarding its correctness or accuracy.

The safety data attached has been prepared in order to assist users to perform their own assessment of the requirements

for safe handling under the Control of Substances Hazardous to Health Regulations and similar legislation. The information provided in this MSDS is correct to the best of our knowledge, information and belief at the date of

publication, and is, in our opinion consistent with the state of general scientific and technical knowledge at that date,

but we can not accept liability for its loss, injury or damage which may result from the use.

We must point out that it is the responsibility of any intermediate supplier to ensure that the information contained in this MSDS is passed to the ultimate user.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.