



Compilation Date: 11<sup>th</sup> November 2016

Revision Date: 11<sup>th</sup> November 2016

Revision No: 1

## **MATERIAL SAFETY DATA SHEET**

### **1. IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY /UNDERTAKING**

#### **1.1. Product identifier**

Glass Wax Fill Candle Seagrass

C81775PR

30243773

5054077523226

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Glass Wax Fill Candle

#### **1.3. Details of the supplier of the safety data sheet**

#### **1.4. Emergency telephone number (Out of Office Hours)**

Tel: +44 (0) 7570900688, +44 (0) 7734229960

### **2. HAZARDS IDENTIFICATION**

#### **2.1 Classification of the substance or mixture (in accordance with Regulation (EC) No 1272/2008)**

Classification under CLP: Chronic aquatic toxicity Category 3 - (H412)

Most important adverse effects: Chronic aquatic toxicity Category 3 - (H412)

#### **2.2 Label elements (in accordance with Regulation (EC) No. 1272/2008)**

Pictogram(s): None

Signal Word(s): None

Hazard Statement(s): H412 - Harmful to aquatic life with long lasting effects

Precautionary Statement(s): P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant

**2.3 Other hazards**

No information available.

**3. COMPOSITION / INFORMATION ON INGREDIENTS****3.1 Mixtures**

Chemical Name		EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paraffin wax		265-154-5	64742-51-4	75.8-85.8	Not classified
palm wax		273-313-5	68956-68-3	10-20	Not classified
UV stabiliser		221-573-5	3147-75-9	0-1	Aquatic Chronic 4 (H413)
EFF256851	Benzyl benzoate	204-402-9	120-51-4	0.455	Acute Tox. 4 (H302) Aquatic Chronic 2 (H411)
	Benzyl salicylate	204-262-9	118-58-1	0.235	Skin sens. 1 (H317) Aquatic Chronic 2 (H411)
	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	259-174-3	54464-57-2	0.235	Skin sens. 1 (H317) Aquatic Chronic 2 (H411)
	hexyl 2-hydroxybenzoate	228-408-6	6259-76-3	0.156	Skin sens. 1 (H317), Eye Irrit. 2 (H319) Aquatic chronic 1 (H410)

*The product identifier, the concentration or concentration ranges and the classifications shall be provided for at least all substances referred to in points 3.2.1 or 3.2.2 of (EC) No 1907/2006. Suppliers of mixtures may choose to list in addition all substances in the mixture, including substances not meeting the criteria for classification. This information shall allow easy identification of the hazards of substances within the mixture.*

**4. FIRST AID MEASURES****4.1 Description of first aid measures**

Eye: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin/Hair: Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician

Ingestion: Rinse mouth. Get medical attention. Never give anything by mouth to an unconscious person.

Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

#### **4.2 Most important symptoms and effects, both acute and delayed**

No information available

#### **4.3 Indication of any immediate medical attention and special treatment needed.**

Treat symptomatically.

### **5. FIRE-FIGHTING MEASURES**

#### **5.1 Extinguishing media**

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: No information available.

#### **5.2 Special hazards arising from the substance or mixture**

Hazardous combustion products: No information available.

#### **5.3 Advice for fire-fighters**

Additional information: Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

### **6. ACCIDENTAL RELEASE MEASURES**

#### **6.1 Personal Precautions, protective equipment and emergency procedures**

For non-emergency personnel: Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Avoid contact with skin, eyes and inhalation of vapours. Use personal protection recommended in Section 8.

For emergency responders: Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas. Remove all sources of ignition. Avoid contact with skin, eyes and inhalation of vapours. Use personal protection recommended in Section 8.

#### **6.2 Environmental Precautions**

Local authorities should be advised if significant spillages cannot be contained. Prevent entry into waterways, sewers, basements or confined areas.

### **6.3 Methods and material for containment and clearing up**

Take up mechanically, placing in appropriate containers for disposal.

### **6.4 References to Other Sections**

See Section 7 for more information

See section 8 for more information

See section 13 for more information

## **7. HANDLING AND STORAGE**

### **7.1 Precautions for safe handling**

Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8.

### **7.2 Conditions for safe storage, including any incompatibilities**

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition. Store in accordance with the particular national regulations.

### **7.3 Specific end use(s)**

Apart from the uses mentioned in SECTION 1.2 no other specific uses are stipulated.

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **8.1 Control parameters**

Chemical Name	Australia	Austria	Belgium	Denmark	European Union
palm wax (CAS #: 68956-68-3)	10 mg/m <sup>3</sup>	-	-	-	-

Chemical Name	Norway	United Kingdom	ACGIH TLV	OSHA PEL	NIOSH IDLH
palm wax (CAS #: 68956-68-3)	-	-	-	-	TWA: 10 mg/m <sup>3</sup> total mist TWA: 5 mg/m <sup>3</sup> respirable mist

### **8.2 Exposure Controls**

### Engineering Controls

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand Protection	Wear protective gloves.
Skin and body protection	Suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.

### Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance: Solid  
 Odour: Seagrass  
 Odour threshold: Not determined  
 pH: Not determined  
 Melting point/freezing point: Not determined  
 Initial boiling point and boiling range: Not determined  
 Flash point: Not determined  
 Evaporation rate: Not determined  
 Flammability (solid, gas): Not determined  
 Upper/lower flammability or explosive limits: Not determined  
 Vapour pressure: Not determined  
 Vapour density: Not determined  
 Relative density: Not determined  
 Solubility(ies): Not determined  
 Partition coefficient: n-octanol/water: Not determined  
 Auto-ignition temperature: Not determined  
 Decomposition temperature: Not determined  
 Viscosity: Not determined  
 Explosive properties: Not an explosive  
 Oxidising properties: Not determined

### 9.2. Other information

No information available

**10. STABILITY AND REACTIVITY****10.1. Reactivity**

No information available

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

None under normal processing.

**10.4. Conditions to avoid**

Heat, flames and sparks.

**10.5. Incompatible materials**

Strong oxidizing agents. Strong acids. Strong bases.

**10.6. Hazardous decomposition**

None under normal use conditions.

**11. TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**

General information:

<b>Chemical Name</b>	<b>Oral LD50</b>	<b>Dermal LD50</b>	<b>Inhalation LC50</b>
Paraffin wax (CAS #: 64742-51-4)	= 10000 mg/kg ( Rat )	> 3600 mg/kg ( Rabbit )	-
Benzyl benzoate (CAS #: 120-51-4)	500 mg/kg ( Rat ) > 2000 mg/kg bw ( Rat )	4000 mg/kg ( Rabbit )	-
Benzyl salicylate (CAS #: 118-58-1)	= 2227 mg/kg ( Rat )	= 14150 mg/kg ( Rabbit )	-
Hexyl salicylate (CAS #: 6259-76-3)	> 5 g/kg ( Rat )	> 5 g/kg ( Rabbit )	-

Inhalation: No information available.

Ingestion: No information available.

Skin contact: Non-irritating to the skin.

Eye contact: No eye irritation.

**12. ECOLOGICAL INFORMATION****12.1 Toxicity**

Chemical Name	Algae/aquatic plants EC50	Fish LC50	Crustacea EC50
Benzyl benzoate (CAS #: 120-51-4)	0.475 mg/L : 72 h Selenastrum capricornutum	2.32 mg/L : 96 h Brachydanio rerio	4.26 mg/L : 24 h Daphnia magna

**12.2 Persistence and degradability**

No information available.

**12.3 Bio-accumulative potential**

No information available.

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment information is not available as chemical safety assessment not conducted.

**12.6 Other adverse effects**

No information available.

**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION**

Road Transport Notes: N/A

Rail Transport Notes: N/A

Sea Transport Notes: N/A

Air Transport Notes: N/A

**14.1. UN number**

Not regulated

**14.2. UN proper shipping name**

Not regulated

**14.3. Transport hazard class(es)**

Not regulated

**14.4. Packing group**

Not regulated

**14.5. Environmental hazards**

Not applicable

**14.6. Special precautions for user**

No information available

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable

**15. REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

**International Inventories**

Component	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Paraffin wax 64742-51-4 ( 75.8- 85.8 )	X	X	X	X	X	X	X	X
palm wax 68956- 68-3 ( 10-20 )	X	X	X	-	X	X	X	X
UV stabiliser 3147-75-9 ( 0-1 )	X	X	X	X	X	X	X	X
Benzyl benzoate 120-51-4 ( 0.455 )	X	X	X	X	X	X	X	X
Benzyl salicylate 118-58-1 ( 0.235 )	X	X	X	X	X	X	X	X
1-(1,2,3,4,5,6,7,8- octahydro- 2,3,8,8- tetramethyl-2- naphthyl)ethan-1- one 54464-57-2 ( 0.235 )	X	X	X	X	X	X	X	X
Hexyl salicylate 6259-76-3 ( 0.156 )	X	X	X	X	X	X	X	X

"-" Not Listed

"X" Listed

**15.2. Chemical Safety Assessment**

No information available.

**16. OTHER INFORMATION**

**Version 1 Date:** 16-November-2016



**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**TWA** - TWA (time-weighted average)

**STEL** - STEL (Short Term Exposure Limit)

**Ceiling** - Maximum limit value

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**Full text of H-Statements referred to under section 3**

H413 - May cause long lasting harmful effects to aquatic life

H302 - Harmful if swallowed

H411 - Toxic to aquatic life with long lasting effects

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H410 - Very toxic to aquatic life with long lasting effects

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.