# **SAFETY DATA SHEET**



(revision) date 07-May-2015 Version 1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Responsible for placing on the market

See Company Name

### 1.1. Product identifier

Product Code METHOD16
Product Name Steel For Real
Internal Code 3000569
Pure substance/mixture Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Consumer use

Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

Company Name

**ECOVER CO-ORDINATION CENTER** 

Steenovenstraat 1A 2390 Malle Belgium Phone: +32 (0)3 309 2500

Fax: +32 (0)3 311 7270

E-mail address sds@ecover.com

### 1.4. Emergency telephone number

Emergency Telephone - §4	45 - (EC)1272/2008
Belgium	+32 (0)70 245 245 (Antipoison Centre Belgium)
Denmark	+45 82 12 12 12
Finland	09 471977
France	+ 33 (0)1 45 42 59 59 - Orfila (24h)
Netherlands	030-2748888 (National Poisons Information Center (NVIC)) Only for the purpose of informing medical personnel in cases of acute intoxications
Portugal	808 250 143 - CIAV
Spain	+ 34 91 562 04 20
Switzerland	STIZ (Tox-Zentrum) CH Zürich: 145/ +41 44 251 51 51 (24h/7)
United Kingdom	03451 302230 - UK customer careline
Slovenia	+800 505 25 052 +32 898 60 540
Hungary	06-80-20-11-99 - Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSz)

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

According to Regulation (EC) n° 1272/2008 (CLP):

Not classified

### 2.2. Label elements

According to Regulation (EC) n° 1272/2008 (CLP):

Not classified

### Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children

### 2.3. Other hazards

None under normal use conditions

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not Applicable

### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Ethanol	200-578-6	64-17-5	0.1-1	F; R11	Flam. Liq. 2 (H225) Eye Irrit. 2 (H319)	01-2119457610-43
Phenoxyethanol	204-589-7	122-99-6	0.1-1	Xn; R22-36	Acute Tox. 4 (H302) Eye Irrit. 2 (H319)	01-2119488943-21
(R)-p-mentha-1,8-dien e	227-813-5	5989-27-5	0.01-0.1	R10 Xi; R38-43 N; R50/53	Skin Irrit. 2 (H315) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Flam. Liq. 3 (H226)	01-2119529223-47
Methylisothiazolinone	220-239-6	2682-20-4	<0.01	Xn; R22 Xi; R36-41-43	Acute Tox. 3 (H301) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) Skin Sens. 1A (H317)	No data available

Full text of H- and EUH-phrases: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

**General advice** If symptoms persist, call a physician.

Eye Contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice

**Skin Contact** Wash off immediately with plenty of water

Ingestion Do NOT induce vomiting Clean mouth with water and drink afterwards plenty of water Get

medical attention

**Inhalation** Remove to fresh air

## 4.2. Most important symptoms and effects, both acute and delayed

See section 2 for more information. See section 11 for more information.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

### **Unsuitable Extinguishing Media**

None

### 5.2. Special hazards arising from the substance or mixture

None known

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective suit.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Recover usable material in a clean closable container for reuse. Sweep up contaminated material and dispose of as chemical waste. Remove the remainder with water.

### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection

SECTION 12: Ecological information

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Avoid contact with eyes

Ensure adequate ventilation, especially in confined areas

Use personal protection recommended in Section 8

## 7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children

Keep container tightly closed in a dry and well-ventilated place

Do not store <0°C and >40°C.

### 7.3. Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

Revision Date 07-May-2015

## 8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
Ethanol		STEL: 3000 ppm STEL: 5760 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1920 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 1900 mg/m³ STEL: 5000 ppm STEL: 9500 mg/m³	TWA: 1000 ppm TWA: 1910 mg/m³	TWA: 500 ppm TWA: 960 mg/m³ Ceiling / Peak: 1000 ppm Ceiling / Peak: 1920 mg/m³ Skin
Phenoxyethanol					TWA: 20 ppm TWA: 110 mg/m³ Ceiling / Peak: 40 ppm Ceiling / Peak: 220 mg/m³ Skin
(R)-p-mentha-1,8-diene			TWA: 1000 mg/m <sup>3</sup> STEL: 1500 mg/m <sup>3</sup>		TWA: 5 ppm TWA: 28 mg/m³ Ceiling / Peak: 20 ppm Ceiling / Peak: 112 mg/m³ Skin TWA: 20 ppm TWA: 110 mg/m³
Methylisothiazolinone					TWA: 0.2 mg/m <sup>3</sup> Ceiling / Peak: 0.4 mg/m <sup>3</sup>

Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Ethanol		TWA: 1000 ppm	Skin	TWA: 1000 ppm	TWA: 1000 ppm
			STEL: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
			TWA: 260 mg/m <sup>3</sup>	STEL: 1300 ppm STEL: 2500 mg/m <sup>3</sup>	
Phenoxyethanol				TWA: 20 ppm TWA: 110 mg/m <sup>3</sup>	
				STEL: 50 ppm	
				STEL: 290 mg/m <sup>3</sup>	
				Skin	
(R)-p-mentha-1,8-diene				TWA: 25 ppm	
				TWA: 140 mg/m <sup>3</sup>	
				STEL: 50 ppm	
				STEL: 280 mg/m <sup>3</sup>	

Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Ethanol	STEL 2000 ppm STEL 3800 mg/m <sup>3</sup> TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>	STEL: 1000 ppm STEL: 1920 mg/m <sup>3</sup> TWA: 500 ppm TWA: 960 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 950 mg/m³ STEL: 625 ppm STEL: 1187.5 mg/m³	STEL: 1000 ppm
Phenoxyethanol	Skin STEL 20 ppm STEL 110 mg/m³ TWA: 20 ppm TWA: 110 mg/m³ Ceiling 20 ppm Ceiling 110 mg/m³	Skin STEL: 40 ppm STEL: 220 mg/m³ TWA: 20 ppm TWA: 110 mg/m³	TWA: 230 mg/m <sup>3</sup>		
(R)-p-mentha-1,8-diene		STEL: 40 ppm STEL: 220 mg/m <sup>3</sup> TWA: 20 ppm TWA: 110 mg/m <sup>3</sup>		TWA: 25 ppm TWA: 140 mg/m³ STEL: 37.5 ppm STEL: 175 mg/m³	
Methylisothiazolinone	Skin TWA: 0.05 mg/m <sup>3</sup>				

Derived No Effect Level (DNEL) No information available

Revision Date 07-May-2015 3000569 - Steel For Real

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

None under normal use conditions. **Engineering Controls** 

Personal protective equipment

Eye/face protection Wear safety goggles when clearing accidentally released material.

For operations where prolonged or repeated skin contact may occur, impervious gloves **Hand Protection** 

should be worn.

No information available. **Environmental exposure controls** 

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state Liquid characteristic Odor Color colorless

**Property** Values Remarks • Method

pН

Melting point / freezing point No information available Boiling point / boiling range No information available

Flash Point > 100

**Evaporation rate** No information available Flammability (solid, gas) No information available Flammability Limit in Air No information available

**Upper Flammability Limit** No information available Lower flammability limit No information available Vapor pressure No information available

Vapor density

Relative density 1.002 kg/l

Water solubility No information available Solubility(ies) No information available Partition coefficient No information available **Autoignition temperature** No information available No information available

**Decomposition temperature** Kinematic viscosity Dynamic viscosity

**Explosive properties** Not Applicable

**Oxidizing properties** None

9.2. Other information

**VOC Content (%)** 0,76

## **SECTION 10: Stability and reactivity**

No information available

## 10.1. Reactivity

Not expected

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None under normal processing.

### 10.4. Conditions to avoid

See section 7 for more information

### 10.5. Incompatible materials

Do not mix with other cleaning products.

### 10.6. Hazardous decomposition products

None under normal use conditions.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity Product does not present an acute toxicity hazard based on known or supplied information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Phenoxyethanol	= 1260 mg/kg (Rat)	= 5 mL/kg (Rabbit)	
(R)-p-mentha-1,8-diene		> 5 g/kg (Rabbit)	

**Irritation** Causes moderate eye irritation

**Respiratory or skin sensitization** See section 15 for any sensitizing ingredients

Carcinogenicity Not expected.

Reproductive toxicity Not expected.

Germ cell mutagenicity Not expected.

Specific target organ toxicity (single Not expected

exposure)

Specific target organ toxicity

(repeated exposure)

Not expected

Aspiration hazard Not expected

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Product

48h EC50 (daphnia - mg/l) No data available

Ingredients

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Ethanol		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	
Phenoxyethanol	500: 72 h Desmodesmus subspicatus mg/L EC50	220 - 460: 96 h Leuciscus idus mg/L LC50 static 337 - 352: 96 h Pimephales promelas mg/L LC50 flow-through	500: 48 h Daphnia magna mg/L EC50

(R)-p-mentha-1,8-diene	0.619 - 0.796: 96 h Pimephales
	promelas mg/L LC50 flow-through
	35: 96 h Oncorhynchus mykiss
	mg/L LC50

## 12.2. Persistence and degradability

This product doesn't contain any persistent substances

The surface active components used in this product fulfill all of the biodegradability requirements of EC regulation 648/2004 (Detergents Regulation)

The surface active components used in this product are anaerobically biodegradable.

### 12.3. Bioaccumulative potential

This product does not contain any bioaccumulating substances.

Chemical Name	Partition coefficient
Ethanol	-0.32
Phenoxyethanol	1.13

### 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT) This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

### 12.6. Other adverse effects

This product does not contain PCM or nitromusk perfume components.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

General Disposal should be in accordance with applicable regional, national and local laws and

regulations

## **SECTION 14: Transport information**

ADR Not regulated

IMDG Not regulated

RID Not regulated

IATA Not regulated

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ensure all national/local regulations are observed

Regulation (CE) No. 648/2004 of 31 March 2004 on detergents:

amphoteric surfactants	< 5%
parfum, PHENOXYETHANOL, Limonene, BENZISOTHIAZOLINONE,	
METHYLISOTHIAZOLINONE	

### 15.2. Chemical safety assessment

No information available

## **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3

- H302 Harmful if swallowed
- H319 Causes serious eye irritation
- H301 Toxic if swallowed
- H330 Fatal if inhaled
- H314 Causes severe skin burns and eye damage
- H318 Causes serious eye damage
- H400 Very toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects
- H317 May cause an allergic skin reaction
- H315 Causes skin irritation
- H410 Very toxic to aquatic life with long lasting effects
- H226 Flammable liquid and vapor
- H225 Highly flammable liquid and vapor

### **Classification procedure**

Calculation method

#### **Revision Note**

First version of this SDS in this format.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**